THE BALTIC EXCHANGE DRY CARGO QUESTIONNAIRE (BALTIC99)

	I				
	GENERAL INFORMATION			24.40.2020	
	Date updated: Vessel's name:			31.10.2020 DANAYA NAREE	
	IMO number: Vessel's previous name(s) and date(s) of change:	9711236 N/A			
	1 ()		SINGAPORE		
	Flag: Port of Registry:		SINGAPORE		
	Type of vessel:		C	EMENT CARRIER	
	Type of vessel. Type of hull:			OUBLE SIDESKIN	
	and Operation		<u> </u>	OODEE OIDEONIN	
	1.0 Registered owner - Full style:		Name and adress:ABC O SINGAPORE 079329	NE PTE.LTD 72A PECK SEAH STREE	
1.1	Parent company/group to which the owner belongs	- Full style:		N/A	
1.11	Technical operator - Full style:		Great Circle Shipping Age 8/35 North Sathorn Road, Tel: +66 2 696 8900 Email: gcship@preciouss	, Bangkok 10500, Thailand	
1.12	Commercial operator - Full style:		Tel: +66 2 696 8800 F	oad, Bangkok 10500, Thailand	
1.13	Disponent owner - Full style:		ULTRATEC	CH CEMENT LTD, MUMBAI	
	Does disponent owner have vessel on time charter of			TIME CHARTER	
	Since when vessel has been under Disponent owne	r:	26.	01.2015 /2000 UTC	
	Number of vessels in disponent owner's fleet:			5	
Builder	I				
	Builder (where built) / Yard number:		SHG Ship Building	CC200-04 06-Jan-15	
Classification	Date delivered (built):			00-Jan-13	
	Classification society:		NIP	PPON KAIJI KYOKAI	
	Class notation:			CM) (PSPC-BWTS) MNS*	
	If Classification society changed, name of previous	society:	(, 0,	N/A	
	If Classification society changed, date of change:			N/A	
4.00	Date and place of last dry dock:			27-12-2019/COLOMBO, SRI LANKA	
	Date next dry dock is due:			Dec-25	
	Date of last special survey / next survey due:		01-Dec	Jan-25	
	Date of last annual survey / next survey due:		Mar-19	Jan-20	
1.27	Is vessel entered in classification approved enhance Does vessel comply with IACS unified requirements			NO	
1.28	double bottom tank steel structure?	regarding number i cargo noid and		YES	
	Has this compliance been verified by the classificati	on society?		YES	
Dimensions	3				
	Length Over All (LOA):			157 MTRS	
	Length Between Perpendiculars (LBP):			147.418 MTRS	
	Extreme breadth (Beam):	Extreme breadth (Beam):		25.5 MTRS	
	Moulded depth:			13.0 MTRS	
1.33	Keel to Masthead (KTM) / KTM in collapsed condition	on (if applicable):	4	43.39 MTRS / NA	
1.34	top of hatch covers if side-rolling hatches	No1. Hatch	Midships	Last Hatch	
	Ballast condition: (ballast holds not flooded, basis 50% bunkers)	9.8	9	8.7	
	Full ballast condition: (ballast holds flooded, basis 50% bunkers)		N/A		
	Fully laden condition:	4.8	4.8	4.8	
1.35	Distance from keel to top of hatch coamings (or top of hatch covers if side-rolling hatches):	14	14	14	
Tonnages					
1.36			15198	5541	
1.37	Suez Canal Tonnage - Gross (SCGT) / Net (SCNT)		16830.53	14244.78	

1.38	Panama (Canal Net Toni	nage (PCNT):			12736	
adline Inf	formation						
1.39	Loadline			Deadweight	Draft	TPC	
	Summer:			21149.57	9.200	35.91	
	Winter:			20461.46	9.008	35.76	
	Winter No	orth Atlantic:		20461.46	9.008	35.76	
	Fresh wat	er:		21148.62	9.398	36.07	
	Tropical:			21840.51	9.392	36.06	
	Tropical f	resh water:		22555.54	9.59	36.17	
		st condition: olds not floode	d, basis 50% bunkers) (about)	13249	5.413	32.23	
	Lightship:	Draft:	Displacement: mt	•	2.8	7392.2	
	FWA at s	ummer draft:				198 MM	
	TPC on s	ummer draft				35.91	
essel fit	ted for:						
1.4	Transit of	Panama Cana	al?		YES		
	If yes, state deadweight all told on 39ft 6in / 12.039m (SG 0.9954):			N/A			
	If yes, is Panama deadweight all told affected by vessel's bilge turn radius?		N/A				
1.41	Transit of	Suez Canal?				YES	
1.42	Transit of	St. Lawrence	Seaway?			NO	
	If yes, state deadweight all told on 26ft / 7.92m fresh water:			N/A			
cent Ope	rational H	istory					
					Pollution: NIL		
1.43	Has vess	el been involve	ed in a pollution, grounding, serious cas	sualty or collision incident	Grounding: NIL		
1.43	during the	past 12 mont	hs? If yes, give details:		Casualty: NIL	Casualty: NIL	
					Collision: NIL		
1.44	Voyage H	istory					
	Voy#	Charterer	Cargo		Load-Disch	•	
	Last:	Ultratech	Cement		PIPAVAV-		
	2 nd :	Ultratech	Cement		PIPAVAV-	INPT-KOCHI	
	3 rd :	Ultratech	Cement		PIPAVAV-ł	KOCHI	
	4 th :	Ultratech	Cement		PIPAVAV-	KOCHI	
	5 th :	Ultratech	Cement		PIPAVAV-	KOCHI	
1.45	Specify th	e security leve	el at which the ship is currently operating	og (ISSC):		Level 1	

2	CERTIFICATION	Issued	Last Annual	Expires
2.1	Safety Equipment Certificate:	27-Dec-19		05-Jan-25
2.2	Safety Radio Certificate:	27-Dec-19		05-Jan-25
2.3	Safety Construction Certificate:	27-Dec-19		05-Jan-25
2.4	Loadline Certificate:	27-Dec-19		05-Jan-25
2.5	Safety Management Certificate (SMC):	18-Jul-20		07-Jun-25
2.6	Document of Compliance (DOC):	30-Oct-15	13-Nov-19	19-Nov-20
2.7	Cargo Gear survey:	27-Dec-19		26-Dec-20
2.8	Cargo securing manual:		N/A	
	International Oil Pollution Prevention Certificate (IOPPC):	27-Dec-19		05-Jan-25
	Ship Sanitation Control (SSCC) / Ship Sanitation Control Exemption (SSCE) Certificate	07-Sep-20	NA	06-Mar-21
2.11	USCG COFR:		N/A	
2.12	International Ship Security Certificate (ISSC):	18-Jul-20		07-Jun-25

3 CREW MANAGEMENT	
3.1 Number of Officers: (including Master)	13
3.2 Number of crew:	12
3.3 Name and nationality of Master:	CAPT ANIL K. PANDEY/INDIAN
3.4 Nationality of Officers:	INDIAN
3.5 Nationality of crew:	INDIAN
3.6 What is the common working language onboard:	English
3.7 Do officers speak and understand English?	YES

4	SAFETY MANAGEMENT		
4.1	Is the vessel ISM certified?		YES
4.2	Document of Compliance (DOC) certificate number / issuing authority:	15HO-2094SGPDOC	NKK
4.3	Safety Management (SMC) certificate number / issuing authority:	20BY-M0068SMC	NKK

	State outstanding recommendations, if any:	NIL
4.4	Is the vessel operated under a Quality Management System?	YES
	If Yes, what type of system (ISO9002 or IMO Resolution A.741(18)):	ISO 9001- 2015 / A 741(18)

5	CARGO ARRANGEMENTS			
lolds	CARGO ARRANGEMENTS			
	Number of holds:			4
			05 V	4 24 YAA CUMTD
	Hold dimensions: L x B x H		25 X 21 X 11 CU MTR	
	Are vessel's holds clear and free of any obstructions?			NO
5.4	Capacity, by hold, excluding wing/topside tanks but including hatchways:	_	Grain	Bale
	Hold #1:		050.48 CBM	
	Hold #2:		5380.17 CBM	
	Hold #3:		5384.56 CBM	
	Hold #4:		5514.94 CBM	
	Hold #5:			
	Total:	2	1310.15 CBM	
	Is vessel strengthened for the carriage of heavy cargoes?			NO
	If yes, state which holds may be left empty:			N/A
	Is tanktop steel suitable for grab discharge?			NO
	State whether bulkhead corrugations are vertical or horizontal:			VERTICAL
5.9	Tanktop strength:		ABT 12 T / S	SQ MTR, NO RECORD
5.1				NO
5.11	Are holds fitted with smoke detection system?			NO
5.12	Is vessel fitted with Australian type approved holds ladders?			NO
5.13	Has vessel a functioning class certified loadmaster/loadicator or similar calculator?			YES
5.14	i			
5.14	Forward bulkhead?			NO
	Aft bulkhead?			NO
F 4F				
5.15	Can vessel's holds be described as box shaped?			YES
5.16	Measurement of any tank slopes/hoppering:			N/A
F 47	(height and distance from vessel's side at tank top)		05	V 24 CO MTD
5.17	·	25 X 21 SQ MTR NO		
5.18	Are vessel's holds electrically ventilated?			
5.40	If yes, state number of air-changes per hour basis empty holds:			N/A
5.19	Type of hold paint: Is vessel fitted for carriage of grain in accordance with chapter V1 of SOLAS 1974 and amendments without requiring bagging, strapping and securing when loading a full cargo (deadweight) of heavy grain in bulk (stowage factor 42 cu. Feet) with ends untrimmed?	NO EPOXY		
5.21	Is the vessel fitted with A60 Steel Bulkhead?		YES. E/R C	CASING , CO2 ROOM
eck and H	atches			
5.22	Number of hatches:			NIL
5.23	Make and type of hatch covers:			N/A
	Hatch dimensions: (Length X Breadth)			N/A
5.25	Hatch span (distance from front of forward hatch#1 to aft of rear hatch#5):			N/A
	Strength of hatch covers:			N/A
	Number, diameter and location of cement holes			N/A
5.28	Distance from ship's rail to near and far edge of hatch covers/coaming near an (Please advise the minimum width clear of any obstruction for each hold):	d far	N/A	
5.29	Distance from bow to fore of 1 st hold opening:			27.16 MTR
5.3	Distance from stern to aft of last hold opening:			49.16 MTR
5.31			No c	cargo can be loaded on deck
Ballast	·			-
5.32	Capacity of ballast tanks (100%):			7903.66 MT
	Ballast holds capacity, state which hold(s):			N/A
		:		
	Vessel's ballasting time / rate of ballasting / Vessel's deballasting time / rate of deballasting		abt 10 hr	rs// 2x500 cbm / hr // 12hrs// 400 x 2 cbm
5.35	Unpumpable quantity:			ABOUT 100 MT

6	CARGO GEAR (ONLY TO BE COMPLETED IF APPLICABLE)	
6.1	If geared state make and type:	TTS BOHAI/ Electro hydraulic/Hose Handling Crane
6.2	Number/location of derricks-/ cranes:	2/ Fr 105 (s.side), Fr 105 (p side)
6.3	Maximum outreach of gear beyond ships rail	Inner bellow/ 7.76 m outer bellow 12.07 m
6.4	Maximum outreach of gear beyond ships rail with maximum cargo lift on hook:	N/A
6.5	If gantry cranes/horizontal slewing cranes - state minimum clearance distance crane hook to top of hatch coaming:	NO

	-			
6.6	Time needed for full cycle with maximum cargo lift	on hook:		N/A
6.7	Hoisting time of gear: (Load / Metres Minutes)	Hook Grab		N/A
6.8	Luffing time of gear:			N/A
6.9	Slewing time of gear:			4 MINS 45 SECS
6.1	Is gear combinable for heavy lift?		NO	
	Are winches electro-hydraulic?			
	·	,		
0.12	If vessel has grabs on board - state:		N.//A	NO
		Туре:	N/A	
		Weight:		
		Lifting Capacity:		N/A
		Power source of grabs:	N/A	
		Location of power source:		N/A
6.13	Does vessel have enough power to run 4 cranes ar	nd 4 shore grabs (if applicable). If not	Vsl has sufficent p	ower to use 2 hose handling crane.
	pls state how many?			
6.14	ŭ	r night work?		
6.15	Is vessel logs fitted?			
	If yes, state number, type and height of stanchions/	sockets, if on board:	N/A N/A A MINS 45 SECS NO YES NO N/A N/A N/A N/A N/A Vsl has sufficent power to use 2 hose handling crane. YES NO N/A NO Draft TPC N/A N/A N/A N/A N/A N/A N/A N/	
6.16	Is vessel log racks fitted?			NO
6.17	Timber Loadline (if applicable)	Deadweight	Draft	TPC
	Summer:		N/A	
	Winter:		N/A	
	Winter North Atlantic:		N/A	
	Fresh water:			
	Tropical:			
	,			
	Tropical fresh water:		IV/A	
_	T			
7				
7.1	Capacity in direct stow of TEU/FEU basis empty ta			
	Capacity in direct stow of TEU/FEU basis full tanks	÷		
7.2	Are all containers within reach of vessel's gear?			
7.3	If no, state self sustained capacity:			
7.4	If vessel fitted with all permanent and loose fittings/ TEU/FEU?			
7.5	Is vessel fitted with recessed holes/shoes on tankto and hatch covers?	•		
7.6	Advise stack weights and number of tiers on/under	•		
	Advise stack weights and number of tiers on/under	deck per FEU:		
7.7	Has vessel a container spreader on board?			
7.8	Number and type of reefer plugs:			
8	ENGINE ROOM, SPEED AND CONSUMPTION			
8.1	Is vessel fitted with a shaft generator?			NO
ngine Roo	om			
8.2	Engine make/model and type:		MAI	N B & W 7S35MC7.1
	BHP / RPM of main engine at MCR:	100%		
	BHP / RPM of main engine at NCR (as % of			
8.4	MCR):	90%	4002 KW X 107 KPM	
	GENERATORS:			
uel				
8.5	What type/viscosity of fuel is used for main propuls	ion:		380 / 180 CST
	Capacity (100%) of main engine bunker tanks (excl	Capacity (100%) of main engine bunker tanks (excluding unpumpables): @.96		1150 MT
8.6	What type/viscosity of fuel is used in the generating	Nhat type/viscosity of fuel is used in the generating plant:		380/ 180 CST
	Capacity (100%) of aux engine(s) bunker tanks (excluding unpumpables):@.85			120 MT
peed		•		
	Ballast:	ABT		
0.7	Laden:	ABT	AS PER	VESSEL DESCRIPTION
onsumptio		, 3 ,		
	T		Main	Anv
8.8	Passage	APT	Main	Aux
	Ballast:	ABT		
	Laden:	ABT		
8.9	In Port		AS PER	VESSEL DESCRIPTION
	Working: PNEUMATIC / MECHANICAL			

9 MISCELLANEOUS			
Communications and Electronics			
9.1 Call sign:	9V2627		

ABT

Idle:

Other (specify): Vsl burns extra IFO/MDO when grabs are operating

9.2	Vessel's INMARSAT – C number:	456536510
9.3	Vessel's telephone number:	870773203519
9.4	Vessel's fax number:	870783016221
9.5	Vessel's email address:	vessel@preciousshipping.com (Subject line type Danaya
9.6	Vessel's MMSI No. (Maritime Mobile Selective call Identity Code):	565365000
9.7	Vessel's onboard electrical supply (V / Hz):	440V/220V
Constants/I	Fresh Water	
9.8	Constants excluding fresh water:	425 MT
9.9	Daily freshwater consumption:	7 MT
9.1	Fresh water capacity:	401.70 MT
9.11	State daily production of evaporator:	15 MT
9.12	Normal fresh water reserve:	100 MT
Insurance		
9.13	P & I Club - Full style:	SKULD
9.14	P & I Club coverage:	oil pollution limit usd 1 billion, limit of 3 billion any one event any one vessel for claims, passenger, crew and all other persons
9.15	Where is the owners hull and machinery placed:	SWEDISH CLUB
9.16	Hull & Machinery insured value:	37.00 MILLION(SUBJECT TO CHANGES AS MAY BE AGREED WITH HNM UNDERWRITERS FROM TIME TO TIME)
Vetting		
9.17	Is the vessel RIGHTSHIP approved:	NO
9.18	Date/Place of last RIGHTSHIP Inspection:	NA
Port State C	Control	
9.19	Date and place of last Port State Control inspection:	19.09.2018 / NMPT
9.2	Has the vessel been detained by Port State Control in the last 12 months?	NO
	Any outstanding deficiencies as reported by any Port State Control. If yes, provide details:	NO
9.21	Any Australian Maritime Safety Authority (AMSA) detentions or noted deficiencies. If so, please advise details and specify when/where these items were repaired.	N/A

10	SUPPLEMENTARY INFORMATION FOR SPECIFIC COMMODITIES/TRADES
10.1	

2008 (BalticExchange.com / Baltic99.com)