THE BALTIC EXCHANGE DRY CARGO QUESTIONNAIRE (BALTIC99)

Version 2

	GENERAL INFORMATION			
1.1	Date updated:		3	1/10/2020
1.2	Vessel's name:		M.V. W	KANDA NAREE
1.3	IMO number:			9353682
1.4	Vessel's previous name(s) and date(s) of change:		GOOD DAY /	6th SEPTEMBER 2013
1.5	Flag:		1	HAILAND
	Port of Registry:		E	ANGKOK
	Type of vessel:			K CARRIER
	Type of hull:			UBLE SKIN
	and Operation			
	Registered owner - Full style:		PRECIOUS ORNAMENT 8/27-28, 7th Floor, Catha Silom, Bangrak, Bangkok	House, North Sathorn Road,
1.1	Parent company/group to which the owner belongs -	- Full style:		UBLIC COMPANY LIMITED 8 North Sathorn Road, Bangkok
1.11	Technical operator - Full style:		GREAT CIRCLE SHIPPI Cathay House, 10th Floor Bangkok 10500, Thailand	, 8/35 North Sathorn Road,
1.12	2 Commercial operator - Full style:		PRECIOUS SHIPPING PUBLIC COMPANY LIMITED 7th Floor, Cathay House, 8 North Sathorn Road, Bangkok 10500, Thailand. PIC: CAPT RAJU JOSEPH TEL: 66 2 696 8809 E-MAIL: postfix@preciousshipping.com	
1.13	Disponent owner - Full style:		N.A.	
1.14	Does disponent owner have vessel on time charter	or bareboat:		N.A.
1.15	Since when vessel has been under Disponent owne	r:		N.A.
1.16	Number of vessels in disponent owner's fleet:		N/A	
uilder			1	
1.17	Builder (where built) / Yard number:		HINDUSTAN SHIPYARD LIMITED (INDIA)	NO.11139
1.18	Date delivered (built):		31s	t JULY 2013
lassificatio	on			
1.19	Classification society:		Lloyd 's	s Register (LR)
	Class notation:		N/A	
	If Classification society changed, name of previous	society:	INDIAN REGIST	ER OF SHIPPING (IRS) KE VERITAS (DNV)
1 22	If Classification society changed, date of change:		()2-Aug-13
	Date and place of last dry dock:		16TH JAN 2020	
	Date next dry dock is due:			Jul-23
			20/05/2018	28/07/2023
	Date of last special survey / next survey due:		20/05/2018	20/01/2023
1.00	Data of last appual survey / next		05 100 00	04 100 04
			05-Jun-20	04-Jun-21
	Is vessel entered in classification approved enhance	31 8	05-Jun-20	04-Jun-21 YES
	Is vessel entered in classification approved enhance Does vessel comply with IACS unified requirements	31 8	05-Jun-20	
1.27	Is vessel entered in classification approved enhance	regarding number 1 cargo hold and	05-Jun-20	YES YES
1.27 1.28	Is vessel entered in classification approved enhance Does vessel comply with IACS unified requirements double bottom tank steel structure? Has this compliance been verified by the classificati	regarding number 1 cargo hold and	05-Jun-20	YES
1.27 1.28 imensions	Is vessel entered in classification approved enhance Does vessel comply with IACS unified requirements double bottom tank steel structure? Has this compliance been verified by the classificati	regarding number 1 cargo hold and		YES YES YES
1.27 1.28 imensions 1.29	Is vessel entered in classification approved enhance Does vessel comply with IACS unified requirements double bottom tank steel structure? Has this compliance been verified by the classificati s Length Over All (LOA):	regarding number 1 cargo hold and		YES YES YES 89.932 M
1.27 1.28 imensions 1.29 1.3	Is vessel entered in classification approved enhance Does vessel comply with IACS unified requirements double bottom tank steel structure? Has this compliance been verified by the classification Length Over All (LOA): Length Between Perpendiculars (LBP):	regarding number 1 cargo hold and		YES YES YES 89.932 M 83.032 M
1.27 1.28 imensions 1.29 1.3 1.31	Is vessel entered in classification approved enhance Does vessel comply with IACS unified requirements double bottom tank steel structure? Has this compliance been verified by the classificati s Length Over All (LOA): Length Between Perpendiculars (LBP): Extreme breadth (Beam):	regarding number 1 cargo hold and		YES YES 89.932 M 83.032 M 32.26 M
1.27 1.28 imensions 1.29 1.3 1.31 1.32	Is vessel entered in classification approved enhance Does vessel comply with IACS unified requirements double bottom tank steel structure? Has this compliance been verified by the classificati s Length Over All (LOA): Length Between Perpendiculars (LBP): Extreme breadth (Beam): Moulded depth:	regarding number 1 cargo hold and on society?		YES YES 89.932 M 83.032 M 32.26 M 17.50 M
1.27 1.28 imensions 1.29 1.3 1.31 1.32	Is vessel entered in classification approved enhance Does vessel comply with IACS unified requirements double bottom tank steel structure? Has this compliance been verified by the classification Length Over All (LOA): Length Between Perpendiculars (LBP): Extreme breadth (Beam): Moulded depth: Keel to Masthead (KTM) / KTM in collapsed condition Distance from waterline to top of hatch coamings or	regarding number 1 cargo hold and on society?		YES YES 89.932 M 83.032 M 32.26 M
1.27 1.28 imensions 1.29 1.3 1.31 1.32 1.33	Is vessel entered in classification approved enhance Does vessel comply with IACS unified requirements double bottom tank steel structure? Has this compliance been verified by the classification Length Over All (LOA): Length Between Perpendiculars (LBP): Extreme breadth (Beam): Moulded depth: Keel to Masthead (KTM) / KTM in collapsed condition Distance from waterline to top of hatch coamings	regarding number 1 cargo hold and on society?		YES YES 89.932 M 83.032 M 32.26 M 17.50 M 46.13 M
1.27 1.28 imensions 1.29 1.3 1.31 1.32 1.33	Is vessel entered in classification approved enhance Does vessel comply with IACS unified requirements double bottom tank steel structure? Has this compliance been verified by the classification Length Over All (LOA): Length Between Perpendiculars (LBP): Extreme breadth (Beam): Moulded depth: Keel to Masthead (KTM) / KTM in collapsed condition Distance from waterline to top of hatch coamings or top of hatch covers if side-rolling hatches	regarding number 1 cargo hold and on society?		YES YES 89.932 M 83.032 M 32.26 M 17.50 M 46.13 M

oadline Information1.39LoadlineSummer:Summer:Winter:Winter:Tropical:Tropical:Tropical:Tropical:Tropical freshFull Ballast cor (ballast holds rEvensel fitted for:TPC on summer1.41Transit of Pana If yes, state de If yes, yes, state de If yes, yes, yes, yes, yes, yes, yes, yes,	een involved in a pollution, grounding, series st 12 months? If yes, give details: ry Charterer ALAM BULK HONGKONG LTD. LII SHINSUNG SHIPPING CO., LTD. ITG SHIPPING (H.K.)CO.,LIMITED AETHON MARINE SERVICES LLC Midgulf international Ltd ecurity level at which the ship is currently of	CARGO MESTONE/ CEMENT CLINKERS STEEL PRODUCTS(HRC) SAND IN BULK IRON ORE FINES IN BULK UREA IN BULK	KWANGYAN PEKAN-YAN	AATTOGRAM NG-NANSHA IGJIANG EILU, NANJING
oadline Information1.39LoadlineSummer:Summer:Winter North AFresh water:Tropical:Tropical:Tropical freshFull Ballast cor(ballast holds rLightship: DraftFWA at summTPC on summressel fitted for:1.4Transit of PanaIf yes, state deIf yes, state deI.43Has vessel ber1.44Voy#Last:2nd:3rd:3rd:5th:Sth:	een involved in a pollution, grounding, series st 12 months? If yes, give details: ry Charterer ALAM BULK HONGKONG LTD. LII SHINSUNG SHIPPING CO., LTD. ITG SHIPPING (H.K.)CO.,LIMITED AETHON MARINE SERVICES LLC Midgulf international Ltd	CARGO MESTONE/ CEMENT CLINKERS STEEL PRODUCTS(HRC) SAND IN BULK IRON ORE FINES IN BULK UREA IN BULK	Grounding: NO Casualty: NO Collision: NO Load-Discha CAMPHA-CI KWANGYAN PEKAN-YAN PARADIP-BI	ATTOGRAM IG-NANSHA IGJIANG EILU, NANJING
adline Information 1.39 Loadline Summer: Winter North A Fresh water: Tropical: Tropical: Tropical: Tropical: Fresh water: Tropical: Tropical: Tropical: Fresh water: Tropical: Fropical: Tropical: Full Ballast core (ballast holds r FUI Ballast core Euightship: Draft FWA at summ TPC on summ vessel fitted for: 1.4 Transit of Pana If yes, state de If yes, state de If yes, state de If yes, state de If yes, state de 1.42 Transit of St. L If yes, state de during the pase 1.43 Has vessel bee 1.44 Voyage Histor Voy# Last: 2nd: 2nd: 3rd: 3rd: 4 th : 4 th :	een involved in a pollution, grounding, series st 12 months? If yes, give details: ry Charterer ALAM BULK HONGKONG LTD. LII SHINSUNG SHIPPING CO., LTD. ITG SHIPPING (H.K.)CO.,LIMITED AETHON MARINE SERVICES LLC	CARGO MESTONE/ CEMENT CLINKERS STEEL PRODUCTS(HRC) SAND IN BULK IRON ORE FINES IN BULK	Grounding: NO Casualty: NO Collision: NO Load-Discha CAMPHA-CI KWANGYAN PEKAN-YAN PARADIP-BI	AATTOGRAM NG-NANSHA IGJIANG EILU, NANJING
adline Information 1.39 Loadline Summer: Winter: Winter: Winter North A Fresh water: Tropical: Tropical: Tropical fresh Full Ballast cor (ballast holds r Lightship: Draft FWA at summ TPC on summ TPC on summ vessel fitted for: 1.41 Transit of Pana If yes, state de If yes, state de If yes, state de 1.42 Transit of St. L If yes, state de during the pas 1.43 Has vessel bee 1.44 Voyage Histor Voy# Last: 2nd: 2nd: 3rd: 3rd:	een involved in a pollution, grounding, series st 12 months? If yes, give details: ry Charterer ALAM BULK HONGKONG LTD. SHINSUNG SHIPPING CO., LTD. ITG SHIPPING (H.K.)CO.,LIMITED AETHON MARINE	CARGO MESTONE/ CEMENT CLINKERS STEEL PRODUCTS(HRC) SAND IN BULK	Grounding: NO Casualty: NO Collision: NO Load-Discha CAMPHA-CI KWANGYAN PEKAN-YAN	AATTOGRAM NG-NANSHA IGJIANG
adline Information 1.39 Loadline Summer: Winter: Winter North A Fresh water: Tropical: Tropical: Tropical fresh Full Ballast cor (ballast holds r Lightship: Draf FWA at summ TPC on summ VEC on summ TPC on summ Vessel fitted for: 1.4 1.41 Transit of Pana 1.42 Transit of Sue: 1.43 Has vessel ber during the pas 1.44 Voy# Last: 2 nd : 2 nd :	een involved in a pollution, grounding, series st 12 months? If yes, give details: ry Charterer ALAM BULK HONGKONG LTD. SHINSUNG SHIPPING CO., LTD. ITG SHIPPING	CARGO MESTONE/ CEMENT CLINKERS STEEL PRODUCTS(HRC)	Grounding: NO Casualty: NO Collision: NO Load-Discha CAMPHA-CI KWANGYAN	HATTOGRAM
Inel Information 1.39 Loadline Summer: Winter: Winter North A Fresh water: Tropical: Tropical fresh Full Ballast cor (ballast holds r Lightship: Draf FWA at summ TPC on summ ressel fitted for: 1.41 Transit of Pana 1.41 Transit of Sue: 1.42 Transit of St. L If yes, state de Uning the pas 1.43 Has vessel bee 1.44 Voyage Histor Voy# Last:	een involved in a pollution, grounding, serie st 12 months? If yes, give details: ry Charterer ALAM BULK HONGKONG LTD.	CARGO MESTONE/ CEMENT CLINKERS	Grounding: NO Casualty: NO Collision: NO Load-Discha CAMPHA-Cl	HATTOGRAM
adline Information 1.39 Loadline Summer: Winter: Winter: Winter North A Fresh water: Tropical: Tropical: Tropical fresh Full Ballast cor (ballast holds r Lightship: Draf FWA at summ TPC on summ TPC on summ vessel fitted for: 1.4 Transit of Pana If yes, state de If yes, state de If yes, state de Uf yes, state de If yes, state de 1.42 Transit of St. L If yes, state de If yes, state de 1.43 Has vessel bee 1.44 Voyage Histor Voy# Voy#	een involved in a pollution, grounding, serie st 12 months? If yes, give details: ry Charterer ALAM BULK	CARGO	Grounding: NO Casualty: NO Collision: NO Load-Discha	-
Intel Information 1.39 Loadline Summer: Winter: Winter: Winter North A Fresh water: Tropical: Tropical: Tropical fresh Full Ballast cor (ballast holds r Lightship: Draft FWA at summ TPC on summ TPC on summ ressel fitted for: 1.4 Transit of Pana If yes, state de If yes, state de If yes, state de 1.42 Transit of St. L If yes, state de If yes, state de 1.43 Has vessel been of the pase 1.43 Has vessel been of the pase 1.44 Voyage Histor	een involved in a pollution, grounding, serie st 12 months? If yes, give details: ry Charterer		Grounding: NO Casualty: NO Collision: NO	rge Ports
Intel Information 1.39 Loadline Summer: Winter: Winter: Winter North A Fresh water: Tropical: Tropical: Tropical fresh Full Ballast cor (ballast holds r Lightship: Draft FWA at summ TPC on summ TPC on summ ressel fitted for: 1.4 Transit of Pana If yes, state de If yes, state de If yes, state de 1.42 Transit of St. L If yes, state de If yes, state de 1.43 Has vessel been	een involved in a pollution, grounding, serie st 12 months? If yes, give details:	ous casualty or collision incident	Grounding: NO Casualty: NO	
Inional Information 1.39 Loadline Summer: Winter: Winter: Winter North A Fresh water: Tropical: Tropical: Tropical fresh Full Ballast cor (ballast holds r Lightship: Draf FWA at summ TPC on summ TPC on summ vessel fitted for: 1.4 1.41 Transit of Pana 1.42 Transit of Sue: 1.42 Transit of St. L If yes, state de If yes, state de tax Has vessel bee	een involved in a pollution, grounding, serie	ous casualty or collision incident	Grounding: NO Casualty: NO	
adline Information 1.39 Loadline 1.39 Loadline Summer: Winter: Winter: Winter North A Fresh water: Tropical: Tropical fresh Full Ballast cor (ballast holds r Lightship: Draf FWA at summ TPC on summ Vessel fitted for: 1.4 Transit of Pana If yes, state de 1.42 Transit of St. L If yes, state de If yes, state de	/1 y			
dline Information 1.39 Loadline 1.39 Loadline Summer: Winter: Winter North A Fresh water: Tropical: Tropical: Full Ballast cor (ballast holds r Lightship: Draft FWA at summ TPC on summ FVC on summ essel fitted for: 1.4 Transit of Pana If yes, is Pana 1.41 Transit of Sue: 1.42 Transit of St. L	eadweight all told on 26ft / 7.92m fresh wa	alcı.		
Inionality Loadline 1.39 Loadline Summer: Winter: Winter North A Fresh water: Tropical: Tropical: Full Ballast cor (ballast holds r Lightship: Draf FWA at summ TPC on summ TPC on summ Vessel fitted for: 1.4 Transit of Panaliti yes, is Panaliti yes,		nior:	NO	
Intel Information 1.39 Loadline Summer: Winter: Winter North A Fresh water: Tropical: Tropical: Full Ballast cor (ballast holds r Lightship: Draf FWA at summ TPC on summ ressel fitted for: 1.4 Transit of Pana If yes, state de If yes, is Pana			YES	
Intel Information 1.39 Loadline Summer: Winter: Winter North A Fresh water: Tropical: Tropical fresh Full Ballast cor (ballast holds r Lightship: Draf FWA at summ TPC on summ ressel fitted for: 1.4 Transit of Pana If yes, state de	ama deadweight all told affected by vessel	's bilge turn radius?		NO
dline Information 1.39 Loadline Summer: Winter: Winter North A Fresh water: Tropical: Tropical fresh Full Ballast cor (ballast holds r Lightship: Draf FWA at summ TPC on summ essel fitted for:	eadweight all told on 39ft 6in / 12.039m (S			49059 MT
dline Information 1.39 Loadline Summer: Winter: Winter North A Fresh water: Tropical: Tropical fresh Full Ballast cor (ballast holds r Lightship: Draf FWA at summ TPC on summ				YES
adline Information 1.39 Loadline Summer: Winter: Winter: Winter North A Fresh water: Tropical: Tropical: Full Ballast cor (ballast holds r Lightship: Draf FWA at summ FWA at summ				
Adline Information 1.39 Loadline Summer: Winter: Winter North A Fresh water: Tropical: Tropical fresh Full Ballast cor (ballast holds r Lightship: Draf	ner draft		5	7.4 MT/CM
Adline Information 1.39 Loadline Summer: Winter: Winter North A Fresh water: Tropical: Tropical fresh Full Ballast cor (ballast holds r	ner draft:			284 MM
adline Information 1.39 Loadline Summer: Winter: Winter North A Fresh water: Tropical: Tropical fresh Full Ballast cor Full Ballast cor	aft:F 0.733 m / A 4.638 m Displacem	ent: 11227.5 mt		
adline Information 1.39 Loadline Summer: Winter: Winter North A Fresh water: Tropical: Tropical fresh	not flooded, basis 50% bunkers) (about)	19067	6.42 M	53.2
adline Information 1.39 Loadline Summer: Winter: Winter North A Fresh water: Tropical: Fresh water	ondition: F 5.04 m / A 7.80 m			
adline Information 1.39 Loadline Summer: Winter: Winter North A Fresh water:	water:	55335	13.170 M	57.57
Idline Information 1.39 Loadline Summer: Winter: Winter North A		55367	12.886 M	57.4
dline Information 1.39 Loadline Summer: Winter:		53860	12.907 M	57.4
dline Information 1.39 Loadline Summer:	Atlantic	52352	12.360 M	57.16
adline Information 1.39 Loadline		53857	12.623 M 12.360 M	57.32
dline Information		Deadweight	Draft	TPC
	al Net Tonnage (PCNT):		TO BE ASSIGN	ED ON FIRST TRANSIT
	onnage – Gross (SCGT) / Net (SCNT):		33174.86	29805.4
	ge (GT) / Net Registered Tonnage (NRT):		32661	18210
nages				
	eovers if side-rolling hatches):	19.3	19.63	19.65
/ A12.623m	ndition: Draft: F12.623m / M12.623m h keel to top of hatch coamings (or	6.677	7.007	7.027

;	CERTIFICATION	Issued	Last Annual	Expires
2.1	Safety Equipment Certificate:	20/05/2018	05/06/2020	28/07/2023
2.2	2 Safety Radio Certificate:	07/01/2019	05/06/2020	28/07/2023
2.3	3 Safety Construction Certificate:	20/05/2018	05/06/2020	28/07/2023
	Loadline Certificate:	20/05/2018	05/06/2020	28/07/2023
2.5	Safety Management Certificate (SMC):	10/10/2018		31/12/2023
2.0	Document of Compliance (DOC): D187155-071221F-MLT	30/10/2015	22/11/2018	19/11/2020
2.7	7 Cargo Gear survey:	16/01/2020	16/01/2020	15/01/2025
2.8	3 Cargo securing manual:	02/08/2013		N/A

2.9	International Oil Pollution Prevention Certificate (IOPPC):	17/01/2019	05/06/2020	18/05/2022
2.1	Ship Sanitation Control (SSCC) / Ship Sanitation Control Exemption (SSCE) Certificate	18/07/2020		17/01/2021
2.11	USCG COFR:COFR # 870096	16/05/2019		16/05/2022
2.12	International Ship Security Certificate (ISSC):	10/10/2018		31/12/2023

3	CREW MANAGEMENT	
3.1	Number of Officers: (including Master)	12
3.2	Number of crew:	10
3.3	Name and nationality of Master:	CAPT. SAMART KONGKAW
3.4	Nationality of Officers:	THAI
3.5	Nationality of crew:	THAI
3.6	What is the common working language onboard:	ENGLISH
3.7	Do officers speak and understand English?	YES

4	SAFETY MANAGEMENT		
4.1	Is the vessel ISM certified?		YES
4.2	Document of Compliance (DOC) certificate number / issuing authority:	15HO-2095THADOC	NIPPON KAIJI KYOKAI
4.3	Safety Management (SMC) certificate number / issuing authority:	14HO-0256SMC	NIPPON KAIJI KYOKAI
	State outstanding recommendations, if any:	N.A.	
4.4	Is the vessel operated under a Quality Management System?	YES	
	If Yes, what type of system (ISO9002 or IMO Resolution A.741(18)):	ISO9001:2008	

ls			
	Number of holds:	5 HOL	D
5. I		5 HOL Hold No. 1 L: 29.6 m x B: (fwd: 8.7 m,	
5.2	Hold dimensions: L x B x H	Hold No. 1 L: 29.6 fm x B: (1wd : 6.7 m, Hold No. 2 L: 26.4 m x B: (1wd : 25.6 m Hold No. 3 L: 26.4 m x B: (1wd : 25.6 m Hold No. 4 L: 26.4 m x B: (1wd : 25.6 m Hold No. 5 L: 29.6 m x B: (1wd : 25.6 m	n, aft: 25.6 m) x H: 18.10 m. n, aft: 25.6 m) x H: 18.10 m. n, aft: 25.6 m) x H: 18.10 m.
5.3	Are vessel's holds clear and free of any obstructions?	YES	
5.4	Capacity, by hold, excluding wing/topside tanks but including hatchways:	Grain	Bale
	Hold #1:	12437.9	12265
	Hold #2:	13395.3	13136
	Hold #3:	13396.9	13138
	Hold #4:	13395.2	13136
	Hold #5:	13319.7	13147
	Total:	65945	64822
5.5	Is vessel strengthened for the carriage of heavy cargoes?	YES	
5.6	If yes, state which holds may be left empty:	NO.2 & NO.4 OR NO.3 HOLD MAY BE LEFT EMPTY WITH CAR OTHER HOLDS OF MAXIMUM DENSITY 1.35 T/M ³	
5.7	Is tanktop steel suitable for grab discharge?	YES	
5.8	State whether bulkhead corrugations are vertical or horizontal:	VERTIC	AL
5.9	Tanktop strength:	UNIFORM LOAD 25.0 MT / MTR SQUARE (No.1-5 CARGO HOLD) AND STEEL COILS (TWO TIERS OF 25 TONNE EACH) WITH TH LAYERS OF DUNNAGE	
5.1	Are holds CO2 fitted?	YES	
5.11	Are holds fitted with smoke detection system?	YES	
5.12	Is vessel fitted with Australian type approved holds ladders?	YES, SPIRAL	LADDER
5.13	Has vessel a functioning class certified loadmaster/loadicator or similar calculator?	YES, PROVISIONALLY APPROVED.	
5.14	Are holds hoppered at:	L	
	Forward bulkhead?	NO	
	Aft bulkhead?	YES	
5 1 5	Can vessel's holds be described as box shaped?	NO	
Measurement of any tank slopes/hoppering: 5.16 HIEIGHT 3.75 METRES &			

5 17			
5 17		Hold No. 1 L	.: 29.6 m x W : (fwd : 8.7 m , aft : 25.6 m)
5 17		Hold No. 2 L	.: 26.4 m x W : (fwd : 25.6 m ,aft :25.6 m)
	Flat floor measurement of cargo holds at tank top: L x W		.: 26.4 m x W : (fwd : 25.6 m ,aft :25.6 m)
0.17	hat noor model of hold of barge hold at tank top. Ex W		.: 26.4 m x W : (fwd : 25.6 m ,aft :25.6 m)
		Hold No. 5 L	. : 29.6 m x W : (fwd : 25.6 m ,aft : 7.2 m)
5 18	Are vessel's holds electrically ventilated?		NO
	If yes, state number of air-changes per hour basis empty holds:		10
	If yes, state number of all-changes per hour basis empty holds.		INTERBOND 201 /
5.19	Type of hold paint:		NON TOXIC CONTAMINATE CARGO
	Is vessel fitted for carriage of grain in accordance with chapter V1 of SOLAS 1974 and amendments without requiring bagging, strapping and securing		
5.2	when loading a full cargo (deadweight) of heavy grain in bulk (stowage factor		YES
	42 cu. Feet) with ends untrimmed?		
5.21	Is the vessel fitted with A60 Steel Bulkhead?		YES
Deck and Ha	atches		
5.22	Number of hatches:		5
5.23	Make and type of hatch covers:		TTS, Transfolding Electro-hydraulic type
0.20	······· ··· ···· ······		No.1 Hatch 19.20 m x 20.80 m
			No.2 Hatch 21.60 m x 22.40 m
5.24	Hatch dimensions: (Length X Breadth)		No.3 Hatch 21.60 m x 22.40 m
			No.4 Hatch 21.60 m x 22.40 m
			No.5 Hatch 21.60 m x 22.40 m
5.25	Hatch span (distance from front of forward hatch#1 to aft of rear hatch#5):		134.40 M
5.26	Strength of hatch covers:		2.5 MT/M ²
			2 Compart feeding & 2 Cypin feeding holes Dism: 200mm 8
5.27	Number, diameter and location of cement holes		2 Cement feeding & 2 Grain feeding holes, Diam:800mm & 600mm, each on Fwd and Aft panel (P/S)
			boomini, each on t wa and vit panel (170)
			No. 1 hatch 1.40 m.
			No. 2 hatch 2.66 m.
	Distance from ship's rail to near and far edge of hatch covers/coaming near and far (Please advise the minimum width clear of any obstruction for each hold):		No. 3 hatch 2.50 m. No. 4 hatch 1.10 m.
			No. 5 hatch 1.80 m.
5.29	Distance from bow to fore of 1 st hold opening:		18.00 M
5.3	Distance from stern to aft of last hold opening:		36.65 M
5.31	State deck strength:		4.5 MT/M ²
Ballast			
5.32	Capacity of ballast tanks (100%):		18114.7 M ³
	Capacity of ballast tanks (100%): Ballast holds capacity, state which hold(s):		18114.7 M³ 13397 M³
5.33	Ballast holds capacity, state which hold(s):		18114.7 M³ 13397 M³
5.33 5.34	Ballast holds capacity, state which hold(s): Vessel's ballasting time / rate of ballasting / Vessel's deballasting time / rate of		
5.33 5.34 5.35	Ballast holds capacity, state which hold(s): Vessel's ballasting time / rate of ballasting / Vessel's deballasting time / rate of deballasting		13397 M ³ 23 HRS / 800 MT/HR / 23 HRS / 800 MT/HR
5.33 5.34 5.35	Ballast holds capacity, state which hold(s): Vessel's ballasting time / rate of ballasting / Vessel's deballasting time / rate of		13397 M ³
5.33 5.34 5.35 5.36	Ballast holds capacity, state which hold(s): Vessel's ballasting time / rate of ballasting / Vessel's deballasting time / rate of deballasting Unpumpable quantity:		13397 M ³ 23 HRS / 800 MT/HR / 23 HRS / 800 MT/HR
5.33 5.34 5.35 5.36 6	Ballast holds capacity, state which hold(s): Vessel's ballasting time / rate of ballasting / Vessel's deballasting time / rate of deballasting Unpumpable quantity: CARGO GEAR (ONLY TO BE COMPLETED IF APPLICABLE)		13397 M ³ 23 HRS / 800 MT/HR / 23 HRS / 800 MT/HR -
5.33 5.34 5.35 5.36 6	Ballast holds capacity, state which hold(s): Vessel's ballasting time / rate of ballasting / Vessel's deballasting time / rate of deballasting Unpumpable quantity:		13397 M ³ 23 HRS / 800 MT/HR / 23 HRS / 800 MT/HR
5.33 5.34 5.35 5.36 6 6.1	Ballast holds capacity, state which hold(s): Vessel's ballasting time / rate of ballasting / Vessel's deballasting time / rate of deballasting Unpumpable quantity: CARGO GEAR (ONLY TO BE COMPLETED IF APPLICABLE)		13397 M ³ 23 HRS / 800 MT/HR / 23 HRS / 800 MT/HR - IHI Electro Hydraulic WM / H 360200-280B 4 CRANES / BETWEEN 1&2, 2&3, 3&4, 4&5 HATCH
5.33 5.34 5.35 5.36 6 6.1 6.2	Ballast holds capacity, state which hold(s): Vessel's ballasting time / rate of ballasting / Vessel's deballasting time / rate of deballasting Unpumpable quantity: CARGO GEAR (ONLY TO BE COMPLETED IF APPLICABLE) If geared state make and type: Number/location of derricks-/ cranes:		13397 M ³ 23 HRS / 800 MT/HR / 23 HRS / 800 MT/HR - IHI Electro Hydraulic WM / H 360200-280B 4 CRANES / BETWEEN 1&2, 2&3, 3&4, 4&5 HATCH COVER
5.33 5.34 5.35 5.36 6 6.1 6.2 6.3	Ballast holds capacity, state which hold(s): Vessel's ballasting time / rate of ballasting / Vessel's deballasting time / rate of deballasting Unpumpable quantity: CARGO GEAR (ONLY TO BE COMPLETED IF APPLICABLE) If geared state make and type: Number/location of derrieks-/ cranes: Maximum outreach of gear beyond ships rail		13397 M ³ 23 HRS / 800 MT/HR / 23 HRS / 800 MT/HR - IHI Electro Hydraulic WM / H 360200-280B 4 CRANES / BETWEEN 1&2, 2&3, 3&4, 4&5 HATCH COVER 12.0 M
5.33 5.34 5.35 5.36 6 6.1 6.2 6.3 6.4	Ballast holds capacity, state which hold(s): Vessel's ballasting time / rate of ballasting / Vessel's deballasting time / rate of deballasting Unpumpable quantity: CARGO GEAR (ONLY TO BE COMPLETED IF APPLICABLE) If geared state make and type: Number/location of derrieks-/ cranes: Maximum outreach of gear beyond ships rail Maximum outreach of gear beyond ships rail		13397 M ³ 23 HRS / 800 MT/HR / 23 HRS / 800 MT/HR - IHI Electro Hydraulic WM / H 360200-280B 4 CRANES / BETWEEN 1&2, 2&3, 3&4, 4&5 HATCH COVER
5.33 5.34 5.35 5.36 6 6.1 6.2 6.3 6.4 6.5	Ballast holds capacity, state which hold(s): Vessel's ballasting time / rate of ballasting / Vessel's deballasting time / rate of deballasting Unpumpable quantity: CARGO GEAR (ONLY TO BE COMPLETED IF APPLICABLE) If geared state make and type: Number/location of derricks-/ cranes: Maximum outreach of gear beyond ships rail Maximum outreach of gear beyond ships rail Maximum outreach of gear beyond ships rail with maximum cargo lift on hook If gantry cranes/horizontal slewing cranes - state minimum clearance distance		13397 M ³ 23 HRS / 800 MT/HR / 23 HRS / 800 MT/HR - IHI Electro Hydraulic WM / H 360200-280B 4 CRANES / BETWEEN 1&2, 2&3, 3&4, 4&5 HATCH COVER 12.0 M
5.33 5.34 5.35 5.36 6 6.1 6.2 6.3 6.4 6.5	Ballast holds capacity, state which hold(s): Vessel's ballasting time / rate of ballasting / Vessel's deballasting time / rate of deballasting Unpumpable quantity: CARGO GEAR (ONLY TO BE COMPLETED IF APPLICABLE) If geared state make and type: Number/location of derricks-/ cranes: Maximum outreach of gear beyond ships rail Maximum outreach of gear beyond ships rail Maximum outreach of gear beyond ships rail with maximum cargo lift on hook If gantry cranes/horizontal slewing cranes - state minimum clearance distance to top of hatch coaming:		13397 M³ 23 HRS / 800 MT/HR / 23 HRS / 800 MT/HR - IHI Electro Hydraulic WM / H 360200-280B 4 CRANES / BETWEEN 1&2, 2&3, 3&4, 4&5 HATCH COVER 12.0 M 11.8 M 2.5 M
5.33 5.34 5.35 5.36 6 6.1 6.2 6.3 6.4 6.5 6.6	Ballast holds capacity, state which hold(s): Vessel's ballasting time / rate of ballasting / Vessel's deballasting time / rate of deballasting Unpumpable quantity: CARGO GEAR (ONLY TO BE COMPLETED IF APPLICABLE) If geared state make and type: Number/location of derricks-/ cranes: Maximum outreach of gear beyond ships rail Maximum outreach of gear beyond ships rail Maximum outreach of gear beyond ships rail with maximum cargo lift on hook If gantry cranes/horizontal slewing cranes - state minimum clearance distance to top of hatch coaming: Time needed for full cycle with maximum cargo lift on hook:		13397 M ³ 23 HRS / 800 MT/HR / 23 HRS / 800 MT/HR - IHI Electro Hydraulic WM / H 360200-280B 4 CRANES / BETWEEN 1&2, 2&3, 3&4, 4&5 HATCH COVER 12.0 M 11.8 M 2.5 M 75 S
5.33 5.34 5.35 5.36 6 6.1 6.2 6.3 6.4 6.5 6.6	Ballast holds capacity, state which hold(s): Vessel's ballasting time / rate of ballasting / Vessel's deballasting time / rate of deballasting Unpumpable quantity: CARGO GEAR (ONLY TO BE COMPLETED IF APPLICABLE) If geared state make and type: Number/location of derricks-/ cranes: Maximum outreach of gear beyond ships rail Maximum outreach of gear beyond ships rail Maximum outreach of gear beyond ships rail with maximum cargo lift on hook If gantry cranes/horizontal slewing cranes - state minimum clearance distance to top of hatch coaming: Time needed for full cycle with maximum cargo lift on hook: Hoisting time of gear: (Load / Metres Minutes) Hook		13397 M³ 23 HRS / 800 MT/HR / 23 HRS / 800 MT/HR - IHI Electro Hydraulic WM / H 360200-280B 4 CRANES / BETWEEN 1&2, 2&3, 3&4, 4&5 HATCH COVER 12.0 M 11.8 M 2.5 M
5.33 5.34 5.35 5.36 6 6.1 6.2 6.3 6.4 6.5 6.6	Ballast holds capacity, state which hold(s): Vessel's ballasting time / rate of ballasting / Vessel's deballasting time / rate of deballasting Unpumpable quantity: CARGO GEAR (ONLY TO BE COMPLETED IF APPLICABLE) If geared state make and type: Number/location of derricks-/ cranes: Maximum outreach of gear beyond ships rail Maximum outreach of gear beyond ships rail Maximum outreach of gear beyond ships rail with maximum cargo lift on hook If gantry cranes/horizontal slewing cranes - state minimum clearance distance to top of hatch coaming: Time needed for full cycle with maximum cargo lift on hook:		13397 M ³ 23 HRS / 800 MT/HR / 23 HRS / 800 MT/HR - IHI Electro Hydraulic WM / H 360200-280B 4 CRANES / BETWEEN 1&2, 2&3, 3&4, 4&5 HATCH COVER 12.0 M 11.8 M 2.5 M 75 S 36T / 20 M/MIN
5.33 5.34 5.35 5.36 6 6.1 6.2 6.3 6.4 6.5 6.6 6.6 6.7	Ballast holds capacity, state which hold(s): Vessel's ballasting time / rate of ballasting / Vessel's deballasting time / rate of deballasting Unpumpable quantity: CARGO GEAR (ONLY TO BE COMPLETED IF APPLICABLE) If geared state make and type: Number/location of derricks-/ cranes: Maximum outreach of gear beyond ships rail Maximum outreach of gear beyond ships rail Maximum outreach of gear beyond ships rail with maximum cargo lift on hook If gantry cranes/horizontal slewing cranes - state minimum clearance distance to top of hatch coaming: Time needed for full cycle with maximum cargo lift on hook: Hoisting time of gear: (Load / Metres Minutes) Hook		13397 M ³ 23 HRS / 800 MT/HR / 23 HRS / 800 MT/HR - IHI Electro Hydraulic WM / H 360200-280B 4 CRANES / BETWEEN 1&2, 2&3, 3&4, 4&5 HATCH COVER 12.0 M 11.8 M 2.5 M 75 S 36T / 20 M/MIN
5.33 5.34 5.35 5.36 6 6.1 6.2 6.3 6.4 6.5 6.6 6.5 6.6 6.7 6.8	Ballast holds capacity, state which hold(s): Vessel's ballasting time / rate of ballasting / Vessel's deballasting time / rate of deballasting Unpumpable quantity: CARGO GEAR (ONLY TO BE COMPLETED IF APPLICABLE) If geared state make and type: Number/location of derrieks-/ cranes: Maximum outreach of gear beyond ships rail Maximum outreach of gear beyond ships rail Maximum outreach of gear beyond ships rail with maximum cargo lift on hook If gantry cranes/horizontal slewing cranes - state minimum clearance distance to top of hatch coaming: Time needed for full cycle with maximum cargo lift on hook: Hoisting time of gear: (Load / Metres Minutes)		13397 M³ 23 HRS / 800 MT/HR / 23 HRS / 800 MT/HR - IHI Electro Hydraulic WM / H 360200-280B 4 CRANES / BETWEEN 1&2, 2&3, 3&4, 4&5 HATCH COVER 12.0 M 11.8 M 2.5 M 75 S 36T / 20 M/MIN 28T / 20 M/MIN
5.33 5.34 5.35 5.36 6 6.1 6.2 6.3 6.4 6.5 6.6 6.7 6.8 6.8 6.9	Ballast holds capacity, state which hold(s): Vessel's ballasting time / rate of ballasting / Vessel's deballasting time / rate of deballasting Unpumpable quantity: CARGO GEAR (ONLY TO BE COMPLETED IF APPLICABLE) If geared state make and type: Number/location of derricks-/ cranes: Maximum outreach of gear beyond ships rail Hobitig time of gear: (Load / Metres Minutes)		13397 M³ 23 HRS / 800 MT/HR / 23 HRS / 800 MT/HR - IHI Electro Hydraulic WM / H 360200-280B 4 CRANES / BETWEEN 1&2, 2&3, 3&4, 4&5 HATCH COVER 12.0 M 11.8 M 2.5 M 75 S 36T / 20 M/MIN 28T / 20 M/MIN 66 S
5.33 5.34 5.35 5.36 6 6.1 6.2 6.3 6.4 6.5 6.6 6.7 6.8 6.8 6.9 6.1	Ballast holds capacity, state which hold(s): Vessel's ballasting time / rate of ballasting / Vessel's deballasting time / rate of deballasting Unpumpable quantity: CARGO GEAR (ONLY TO BE COMPLETED IF APPLICABLE) If geared state make and type: Number/location of derrieke-/ cranes: Maximum outreach of gear beyond ships rail Maximum outreach of gear beyond ships rail Maximum outreach of gear beyond ships rail with maximum cargo lift on hook If gantry cranes/horizontal slewing cranes - state minimum clearance distance to top of hatch coaming: Time needed for full cycle with maximum cargo lift on hook: Hoisting time of gear: Luffing time of gear: Slewing time of gear:		13397 M³ 23 HRS / 800 MT/HR / 23 HRS / 800 MT/HR - IHI Electro Hydraulic WM / H 360200-280B 4 CRANES / BETWEEN 1&2, 2&3, 3&4, 4&5 HATCH COVER 12.0 M 11.8 M 2.5 M 75 S 36T / 20 M/MIN 28T / 20 M/MIN 28T / 20 M/MIN 66 S 0-0.8 RPM
5.33 5.34 5.35 5.36 6 6.1 6.2 6.3 6.2 6.3 6.4 6.5 6.6 6.7 6.8 6.9 6.1 6.11 6.11	Ballast holds capacity, state which hold(s): Vessel's ballasting time / rate of ballasting / Vessel's deballasting time / rate of deballasting Unpumpable quantity: CARGO GEAR (ONLY TO BE COMPLETED IF APPLICABLE) If geared state make and type: Number/location of derrieks / cranes: Maximum outreach of gear beyond ships rail Maximum outreach of gear beyond ships rail with maximum cargo lift on hook If gantry cranes/horizontal slewing cranes - state minimum clearance distance to top of hatch coaming: Time needed for full cycle with maximum cargo lift on hook: Hoisting time of gear: Luffing time of gear: Slewing time of gear: Is gear combinable for heavy lift? Are winches electro-hydraulic?		13397 M³ 23 HRS / 800 MT/HR / 23 HRS / 800 MT/HR - - IHI Electro Hydraulic WM / H 360200-280B 4 CRANES / BETWEEN 1&2, 2&3, 3&4, 4&5 HATCH COVER 12.0 M 11.8 M 2.5 M 75 S 36T / 20 M/MIN 28T / 20 M/MIN 28T / 20 M/MIN 66 S 0-0.8 RPM NO
5.33 5.34 5.35 5.36 6 6.1 6.2 6.3 6.2 6.3 6.4 6.5 6.6 6.7 6.8 6.9 6.1 6.11 6.11	Ballast holds capacity, state which hold(s): Vessel's ballasting time / rate of ballasting / Vessel's deballasting time / rate of deballasting Unpumpable quantity: CARGO GEAR (ONLY TO BE COMPLETED IF APPLICABLE) If geared state make and type: Number/location of derrieks-/ cranes: Maximum outreach of gear beyond ships rail Maximum outreach of gear beyond ships rail Maximum outreach of gear beyond ships rail with maximum cargo lift on hook If gantry cranes/horizontal slewing cranes - state minimum clearance distance to top of hatch coaming: Time needed for full cycle with maximum cargo lift on hook: Hoisting time of gear: Luffing time of gear: Slewing time of gear: Is gear combinable for heavy lift?	crane hook	13397 M³ 23 HRS / 800 MT/HR / 23 HRS / 800 MT/HR - - IHI Electro Hydraulic WM / H 360200-280B 4 CRANES / BETWEEN 1&2, 2&3, 3&4, 4&5 HATCH COVER 12.0 M 11.8 M 2.5 M 36T / 20 M/MIN 28T / 20 M/MIN 28T / 20 M/MIN 20
5.33 5.34 5.35 5.36 6 6.1 6.2 6.3 6.2 6.3 6.4 6.5 6.6 6.7 6.8 6.9 6.1 6.11 6.11	Ballast holds capacity, state which hold(s): Vessel's ballasting time / rate of ballasting / Vessel's deballasting time / rate of deballasting Unpumpable quantity: CARGO GEAR (ONLY TO BE COMPLETED IF APPLICABLE) If geared state make and type: Number/location of derrieks / cranes: Maximum outreach of gear beyond ships rail Maximum outreach of gear beyond ships rail with maximum cargo lift on hook If gantry cranes/horizontal slewing cranes - state minimum clearance distance to top of hatch coaming: Time needed for full cycle with maximum cargo lift on hook: Hoisting time of gear: Luffing time of gear: Slewing time of gear: Is gear combinable for heavy lift? Are winches electro-hydraulic?	crane hook	13397 M³ 23 HRS / 800 MT/HR / 23 HRS / 800 MT/HR - IHI Electro Hydraulic WM / H 360200-280B 4 CRANES / BETWEEN 1&2, 2&3, 3&4, 4&5 HATCH COVER 12.0 M 11.8 M 2.5 M 36T / 20 M/MIN 28T / 20 M/MIN 66 S 0-0.8 RPM NO YES SMAG Electro-hyd, MZGL 14000-6B
5.33 5.34 5.35 5.36 6 6.1 6.2 6.3 6.2 6.3 6.4 6.5 6.6 6.7 6.8 6.9 6.1 6.11 6.11	Ballast holds capacity, state which hold(s): Vessel's ballasting time / rate of ballasting / Vessel's deballasting time / rate of deballasting Unpumpable quantity: CARGO GEAR (ONLY TO BE COMPLETED IF APPLICABLE) If geared state make and type: Number/location of derricks-/ cranes: Maximum outreach of gear beyond ships rail Maximum outreach of gear beyond ships rail with maximum cargo lift on hook If gantry cranes/horizontal slewing cranes - state minimum clearance distance to top of hatch coaming: Time needed for full cycle with maximum cargo lift on hook: Hoisting time of gear: Slewing time of gear: Slewing time of gear: Is gear combinable for heavy lift? Are winches electro-hydraulic? If vessel has grabs on board - state:	crane hook	13397 M³ 23 HRS / 800 MT/HR / 23 HRS / 800 MT/HR - IHI Electro Hydraulic WM / H 360200-280B 4 CRANES / BETWEEN 1&2, 2&3, 3&4, 4&5 HATCH COVER 12.0 M 11.8 M 2.5 M 36T / 20 M/MIN 28T / 20 M/MIN 66 S 0-0.8 RPM NO YES SMAG Electro-hyd, MZGL 14000-6B 9.08 MT
5.33 5.34 5.35 5.36 6 6.1 6.2 6.3 6.2 6.3 6.4 6.5 6.6 6.7 6.8 6.9 6.1 6.11 6.11	Ballast holds capacity, state which hold(s): Vessel's ballasting time / rate of ballasting / Vessel's deballasting time / rate of deballasting Unpumpable quantity: CARGO GEAR (ONLY TO BE COMPLETED IF APPLICABLE) If geared state make and type: Number/location of derrieks-/ cranes: Maximum outreach of gear beyond ships rail Maximum outreach of gear beyond ships rail with maximum cargo lift on hook If gantry cranes/horizontal slewing cranes - state minimum clearance distance to top of hatch coaming: Time needed for full cycle with maximum cargo lift on hook: Hoisting time of gear: Slewing time of gear: Slewing time of gear: Is gear combinable for heavy lift? Are winches electro-hydraulic? If vessel has grabs on board - state: Lifti	crane hook	13397 M³ 23 HRS / 800 MT/HR / 23 HRS / 800 MT/HR 23 HRS / 800 MT/HR / 23 HRS / 800 MT/HR - IHI Electro Hydraulic WM / H 360200-280B 4 CRANES / BETWEEN 1&2, 2&3, 3&4, 4&5 HATCH COVER 12.0 M 11.8 M 2.5 M 75 S 36T / 20 M/MIN 28T / 20 M/MIN 2
5.33 5.34 5.35 5.36 6 6.1 6.2 6.3 6.2 6.3 6.4 6.5 6.6 6.7 6.8 6.9 6.1 6.11 6.11	Ballast holds capacity, state which hold(s): Vessel's ballasting time / rate of ballasting / Vessel's deballasting time / rate of deballasting Unpumpable quantity: CARGO GEAR (ONLY TO BE COMPLETED IF APPLICABLE) If geared state make and type: Number/location of derricke-/ cranes: Maximum outreach of gear beyond ships rail Maximum outreach of gear beyond ships rail Maximum outreach of gear beyond ships rail with maximum cargo lift on hook If gantry cranes/horizontal slewing cranes - state minimum clearance distance to top of hatch coaming: Time needed for full cycle with maximum cargo lift on hook: Hoisting time of gear: Luffing time of gear: Slewing time of gear: Is gear combinable for heavy lift? Are winches electro-hydraulic? If vessel has grabs on board - state: Luftit Power sou	Type: Weight: ng Capacity: rce of grabs:	13397 M³ 23 HRS / 800 MT/HR / 23 HRS / 800 MT/HR - IHI Electro Hydraulic WM / H 360200-280B 4 CRANES / BETWEEN 1&2, 2&3, 3&4, 4&5 HATCH COVER 12.0 M 2.5 M 2.5 M 75 S 36T / 20 M/MIN 28T / 2
5.33 5.34 5.35 5.36 6 6.1 6.2 6.3 6.4 6.5 6.6 6.7 6.8 6.9 6.1 6.11 6.12	Ballast holds capacity, state which hold(s): Vessel's ballasting time / rate of ballasting / Vessel's deballasting time / rate of deballasting Unpumpable quantity: CARGO GEAR (ONLY TO BE COMPLETED IF APPLICABLE) If geared state make and type: Number/location of derricke-/ cranes: Maximum outreach of gear beyond ships rail Maximum outreach of gear beyond ships rail Maximum outreach of gear beyond ships rail with maximum cargo lift on hook If gantry cranes/horizontal slewing cranes - state minimum clearance distance to top of hatch coaming: Time needed for full cycle with maximum cargo lift on hook: Hoisting time of gear: Slewing time of gear: Slewing time of gear: Is gear combinable for heavy lift? Are winches electro-hydraulic? If vessel has grabs on board - state: Lifti Power sou Location of p	Type: Weight: ng Capacity: rce of grabs: ower source:	13397 M³ 23 HRS / 800 MT/HR / 23 HRS / 800 MT/HR 23 HRS / 800 MT/HR / 23 HRS / 800 MT/HR - IHI Electro Hydraulic WM / H 360200-280B 4 CRANES / BETWEEN 1&2, 2&3, 3&4, 4&5 HATCH COVER 12.0 M 11.8 M 2.5 M 75 S 36T / 20 M/MIN 28T / 20 M/MIN 2
5.33 5.34 5.35 5.36 6 6.1 6.2 6.3 6.4 6.5 6.6 6.7 6.8 6.9 6.1 6.11 6.12 6.12	Ballast holds capacity, state which hold(s): Vessel's ballasting time / rate of ballasting / Vessel's deballasting time / rate of deballasting Unpumpable quantity: CARGO GEAR (ONLY TO BE COMPLETED IF APPLICABLE) If geared state make and type: Number/location of derrieks-/ cranes: Maximum outreach of gear beyond ships rail Maximum outreach of gear beyond ships rail with maximum cargo lift on hook If gantry cranes/horizontal slewing cranes - state minimum clearance distance to top of hatch coaming: Time needed for full cycle with maximum cargo lift on hook: Hoisting time of gear: Slewing time of gear: Slewing time of gear: Slewing time of gear: Is gear combinable for heavy lift? Are winches electro-hydraulic? If vessel has grabs on board - state: Luftin Power sou Location of p Does vessel have enough power to run 4 cranes and 4 shore grabs (if applica	Type: Weight: ng Capacity: rce of grabs: ower source:	13397 M³ 23 HRS / 800 MT/HR / 23 HRS / 800 MT/HR - IHI Electro Hydraulic WM / H 360200-280B 4 CRANES / BETWEEN 1&2, 2&3, 3&4, 4&5 HATCH COVER 12.0 M 2.5 M 2.5 M 75 S 36T / 20 M/MIN 28T / 2
5.33 5.34 5.35 5.36 6 6.1 6.2 6.3 6.4 6.5 6.6 6.7 6.8 6.9 6.1 6.11 6.12 6.13	Ballast holds capacity, state which hold(s): Vessel's ballasting time / rate of ballasting / Vessel's deballasting time / rate of deballasting Unpumpable quantity: CARGO GEAR (ONLY TO BE COMPLETED IF APPLICABLE) If geared state make and type: Number/location of derricks-/ cranes: Maximum outreach of gear beyond ships rail Maximum outreach of gear beyond ships rail with maximum cargo lift on hook If gantry cranes/horizontal slewing cranes - state minimum clearance distance to top of hatch coaming: Time needed for full cycle with maximum cargo lift on hook: Hoisting time of gear: Slewing time of gear: Slewing time of gear: Is gear combinable for heavy lift? Are winches electro-hydraulic? If vessel has grabs on board - state: Lifti Power sou Location of p Does vessel have enough power to run 4 cranes and 4 shore grabs (if applica pls state how many?	Type: Weight: ng Capacity: rce of grabs: ower source:	13397 M³ 23 HRS / 800 MT/HR / 23 HRS / 800 MT/HR IHI Electro Hydraulic WM / H 360200-280B 4 CRANES / BETWEEN 1&2, 2&3, 3&4, 4&5 HATCH COVER 12.0 M 12.0 M 12.0 M 12.0 M 12.0 M 12.0 M 2.5 M 2.5 M 2.5 M 36T / 20 M/MIN 28T / 20 M/MIN 18T / 20 M/MIN <
5.33 5.34 5.35 5.36 6 6.1 6.2 6.3 6.4 6.5 6.6 6.7 6.8 6.9 6.1 6.11 6.12 0.11 6.12 0.11 6.12 0.13 6.13 6.14	Ballast holds capacity, state which hold(s): Vessel's ballasting time / rate of ballasting / Vessel's deballasting time / rate of deballasting Unpumpable quantity: CARGO GEAR (ONLY TO BE COMPLETED IF APPLICABLE) If geared state make and type: Number/location of derrieks-/ cranes: Maximum outreach of gear beyond ships rail Maximum outreach of gear beyond ships rail with maximum cargo lift on hook If gantry cranes/horizontal slewing cranes - state minimum clearance distance to top of hatch coaming: Time needed for full cycle with maximum cargo lift on hook: Hoisting time of gear: Slewing time of gear: Slewing time of gear: Slewing time of gear: Is gear combinable for heavy lift? Are winches electro-hydraulic? If vessel has grabs on board - state: Luftin Power sou Location of p Does vessel have enough power to run 4 cranes and 4 shore grabs (if applica	Type: Weight: ng Capacity: rce of grabs: ower source:	13397 M³ 23 HRS / 800 MT/HR / 23 HRS / 800 MT/HR - IHI Electro Hydraulic WM / H 360200-280B 4 CRANES / BETWEEN 1&2, 2&3, 3&4, 4&5 HATCH COVER 12.0 M 2.5 M 2.5 M 36T / 20 M/MIN 28T / 20 M/MI

6.16	Is vessel log racks fitted?		NO	
6.17	Timber Loadline (if applicable)	Deadweight	Draft	TPC
	Summer:	N/A		
	Winter:	N/A		
	Winter North Atlantic:	N/A		
	Fresh water:	N/A		
	Tropical:	N/A		
	Tropical fresh water:	N/A		

7			
7.1	Capacity in direct stow of TEU/FEU basis empty tanks:	N/A	
	Capacity in direct stow of TEU/FEU basis full tanks:	N/A	
7.2	Are all containers within reach of vessel's gear?		N/A
7.3	If no, state self sustained capacity:		N/A
7.4	If vessel fitted with all permanent and loose fittings/lashing materials for above number of TEU/FEU?		N/A
7.5	Is vessel fitted with recessed holes/shoes on tanktop and container shoes on weatherdeck and hatch covers?		N/A
7.6	Advise stack weights and number of tiers on/under deck per TEU:		N/A
	Advise stack weights and number of tiers on/under deck per FEU:		N/A
7.7	Has vessel a container spreader on board?		N/A
7.8	Number and type of reefer plugs:		N/A

8	B ENGINE ROOM, SPEED AND CONSUMPTION			
8.1	I ls vessel fitted with a shaft generator?			NO
Engine Roo	om			
8.2	2 Engine make/model and type:		HITACHI-WAF	RTSILA 6RT-FLEX50-B
8.3	3 BHP / RPM of main engine at MCR:	100%	9960 KW	124 RPM
8.4	BHP / RPM of main engine at NCR (as % of MCR):	85%	8466 KW	106 RPM
8.5	5 GENERATORS :			
Fuel				
8.5	5 What type/viscosity of fuel is used for main propulsi			2017 VLSFO (Sulphur< 0.5%) + In 7:2017 LSMGO (Sulphur < 0.1%)
	Capacity (100%) of main engine bunker tanks (LSIF	O + HSIFO; excluding unpumpables):		1795 M³
8.6	5 What type/viscosity of fuel is used in the generating plant:		RMG 380CST ISO 8217:2017 VLSFO (Sulphur< 0.5%) + In ECA area, DMA ISO 8217:2017 LSMGO (Sulphur < 0.1%)	
	Capacity (100%) of aux engine(s) bunker tanks (LS unpumpables):	MGO + HSMGO; excluding	COMMON TANKS	
Speed				
8.7	7 Ballast:	ABT	AS PER VE	SSEL DESCRIPTION
	Laden:	ABT		
Consumpti				
8.8	B Passage		Main	Aux
	Ballast:	ABT		
	Laden:	ABT		
8.9	9 In Port			
	Working:		AS PER VE	SSEL DESCRIPTION
	Idle:			
	Other (specify): Vsl burns extra IFO/MDO when gra	bs are operating ABT		

	9 MISCELLANEOUS		
Communications and Electronics			
9.1	Call sign:	HSCV	
9.2	Vessel's INMARSAT – C number:	No.1: 456700641 & No.2: 456700642	
9.3	Vessel's telephone number:	+870 773 261 468 ,+66 2 844 9503	
9.4	Vessel's fax number:		
9.5	Vessel's email address:	vessel@preciousshipping.com subject: m.v.wikanda naree	
9.6	Vessel's MMSI No. (Maritime Mobile Selective call Identity Code):	567273000	

9.7	Vessel's onboard electrical supply (V / Hz):	440,220 V / 60 Hz
Constants/	Fresh Water	•
9.8	Constants excluding fresh water:	650 MT
9.9	Daily freshwater consumption:	8 MT/D
9.1	Fresh water capacity:	239.1 M ³
9.11	State daily production of evaporator:	17-20 M³/Day
9.12	Normal fresh water reserve:	150 MT
Insurance	-	
9.13	P & I Club - Full style:	SKULD Mutual Protection and Indemnity Association (Bermuda) Ltd. P.O Box 1376 Vika, N-0114 Oslo, Norway
9.14	P & I Club coverage:	AS PER P N I RULES
9.15	Where is the owners hull and machinery placed:	The Swedish Club
9.16	Hull & Machinery insured value:	AS PER VESSEL DESCRIPTION
Vetting		
9.17	Is the vessel RIGHTSHIP approved:	NO
9.18	Date/Place of last RIGHTSHIP Inspection:	N/A
Port State	Control	
9.19	Date and place of last Port State Control inspection:	11-JUNE-2020/ KWANGYANG, KOREA
9.2	Has the vessel been detained by Port State Control in the last 12 months?	NO
	Any outstanding deficiencies as reported by any Port State Control. If yes, provide details:	NO
9.21	Any Australian Maritime Safety Authority (AMSA) detentions or noted deficiencies. If so, please advise details and specify when/where these items were repaired.	NO

10	SUPPLEMENTARY INFORMATION FOR SPECIFIC COMMODITIES/TRADES
10.1	

2008 (BalticExchange.com / Baltic99.com)