<del></del>				
	GENERAL INFORMATION		20.47	10001
	Date updated:			un/2024
	Vessel's name:		APIRADEE NAREE	
	IMO number:			13410
	Vessel's previous name(s) and date(s) of change:			N.A
	Flag:		SINO	GAPORE
	Port of Registry:		SINO	GAPORE
1.7	Type of vessel:		BULK	CARRIER
	Type of hull:		SING	LE HULL
Ownership	and Operation		T.	
1.9	Registered owner - Full style:		PRECIOUS CO	MFORTS PTE LTD
1.1	Parent company/group to which the owner belongs	- Full style:		PUBLIC COMPANY LIMITED K THAILAND
1.11	Technical operator - Full style:		GREAT CIRCLE SE	HIPPING AGENCY LTD
1.12	Commercial operator - Full style:		Precious Shipping Public Company Ltd. 8/27-28, North Sathorn Road, Bangkok 10500, Thailand Tel: +66 2 696 8800 Fax: +66 2 633 846	
1.13	Disponent owner - Full style:		ULTRATECH CEMENT LTD. B WING AHURA CENTRE 3RD FLOOR MAHAKALI CAVES ROAD ANDHERI (EAS' MUMBAI 400093 INDIA	
1.14	Does disponent owner have vessel on time charter or	r bareboat:	TIME CHARTER	
	Since when vessel has been under Disponent owner:		17/0ct/2011	
	Number of vessels in disponent owner's fleet:		,	5
Builder				
	D 31 ( 1 1 30 /W 1 1		YANGZHOU GUOYU	OVO0.
1.17	Builder (where built) / Yard number:		SHIPYARD CHINA	GY807
1.18	B Date delivered (built):			2011
Classificatio	on			
1.19	Classification society:			BV
1.2	Class notation:		#2	0724D
1.21	If Classification society changed, name of previous so	ociety:		NA
1.22	If Classification society changed, date of change:			NA
1.23	Date and place of last dry dock:		16-Apr-22	QINHUANGDAO, CHINA
1.24	Date next dry dock is due:		16-	Apr-25
1.25	Date of last special survey / next survey due:		16-Apr-22	17-Apr-27
	Date of last annual survey / next survey due:		14/Mar/24	17/Apr/25
1.27	Is vessel entered in classification approved enhanced			YES
1.28	Does vessel comply with IACS unified requirements	regarding number 1 cargo hold and		YES
	double bottom tank steel structure?			
Dim.	Has this compliance been verified by the classification	n society?		YES
Dimensions				0.001
	Length Over All (LOA):			9.99M
	Length Between Perpendiculars (LBP):			.85M
	Extreme breadth (Beam):			2.26M
	Moulded depth:			8.0M
1.33	Keel to Masthead (KTM) / KTM in collapsed conditio	n (if applicable):	4:	5.86M
1.34	Distance from waterline to top of hatch coamings or top of hatch covers if side-rolling hatches	No1. Hatch	Midships	Last Hatch
	Ballast condition:	15.5m	15m	13m
	(ballast holds not flooded, basis 50% bunkers)	200	20	10
I	Full ballast condition:	12.67m	12.47m	12.26m

	(ballast hold	ds flooded, basis 50% bunkers)	12.0/111	12.47111	12.20111
	Fully laden	condition:	8.53m	8.53m	8.53m
1.35		m keel to top of hatch coamings (or top	20.5m		
	of hatch cov	ers if side-rolling hatches):	2010111		
nages	Cross Tonne	age (GT) / Net Registered Tonnage (NRT):		33032	19231
1.36		Fonnage - Gross (SCGT) / Net (SCNT): ID:47	110	31575.1	19231
		aal Net Tonnage (PCNT):	110	313/3.1	
	formation	iai net roilliage (FCN1).			
1.39			Deadweight	Draft	TPC
1.57	Summer:		56512.2	12.800	58.8
	Winter:		54941.5	12.533	58.7
	Winter Nort	h Atlantic:	N/A	N/A	N/A
	Fresh water		56512.2	13.088	58.9
	Tropical:		58085.5	13.067	58.9
	Tropical fre	sh water:	58085.5	13.355	59.0
	Full Ballast		00000.0		
		ds not flooded, basis 50% bunkers) (about)	18138	6.13	53.3
	`	raft: F 0.69m / A 4.52m Displacement:	11169 mt		
	FWA at sum		11107 mt	28	8 mm
	TPC on sum				58.8
essel fitt	1				70.0
		anama Canal?		7	YES
	If yes, state	deadweight all told on 39ft 6in / 12.039m (S	G 0.9954):	474	17MT
		ama deadweight all told affected by vessel's		7	YES
1.41	Transit of Su			Ţ	YES
1.42	Transit of St	. Lawrence Seaway?			NO
	If yes, state	deadweight all told on 26ft / 7.92m fresh wa	ter:	1	N/A
cent Oper	rational His				•
1.43	during the p	een involved in a pollution, grounding, serio ast 12 months? If yes, give details:	us casualty or collision incident	Pollution: No Grounding: No Casualty: No Collision: No	
1.44	Voyage Hist			•	
	Voy#	Charterer	CARGO	Los	ad-Discharge Ports
	Last:	Cargill Ocean Transportation, Singapore, Pte Ltd	Coal In bulk	Sangk	ulirang to Mariveles
	2 <sup>nd</sup> :	Multimax Shipping Pte.Ltd.	Sulphur in bulk	Ве	edi to Fangcheng
	3 <sup>rd</sup> :	Black Horse Global DMCC	Limstone in bulk	Mina	Saqr to Bhavnagar
	4 <sup>th</sup> :	Norvic Shipping Asia Pte Ltd	Cement clinker	Kar	rachi to Mesaieed
		0111	Coal In bulk	Muor	a Berau to Magdalla
	5 <sup>th</sup> :	Oldendroff Carriers	Coai in bulk	Muar	a Derau to Magualia

2	CERTIFICATION	Issued	Last Annual	Expires
2.1	Safety Equipment Certificate:	16/Apr/2022	14/Mar/2024	17/Apr/2027
2.2	Safety Radio Certificate:	1/May/2024	14/Mar/2024	17/Apr/2027
2.3	Safety Construction Certificate:	7/Apr/2024	14/Mar/2024	17/Apr/2027
2.4	Loadline Certificate:	16/Apr/2022	14/Mar/2024	17/Apr/2027
2.5	Safety Management Certificate (SMC):	5/Dec/2022		17/Jan/2028
2.6	Document of Compliance (DOC):	4/Nov/2020	9/0ct/2023	19/Nov/2025
2.7	Cargo Gear survey:	16/Apr/2022	14/Mar/2024	17/Apr/2027
2.8	Cargo securing manual:	31/Jul/2012		
2.9	International Oil Pollution Prevention Certificate (IOPPC):	16/Apr/2022	14/Mar/2024	17/Apr/2027

2.1	Ship Sanitation Control (SSCC) / Ship Sanitation Control Exemption (SSCE)	2/May/2024	2/	Nov/2024
	USCG COFR:	10/Apr/2023	10,	/Apr/2026
2.12	International Ship Security Certificate (ISSC):	5/Dec/2022	17	/Jan/2028

3	CREW MANAGEMENT	
3.1	Number of Officers: (including Master)	12
3.2	Number of crew:	11
3.3	Name and nationality of Master:	Capt. Puriwat Waewwong
3.4	Nationality of Officers:	Thai/Indian
3.5	Nationality of crew:	Thai/Indian
3.6	What is the common working language onboard:	ENGLISH
3.7	Do officers speak and understand English?	YES

4	SAFETY MANAGEMENT		
4.1	Is the vessel ISM certified?	,	YES
4.2	Document of Compliance (DOC) certificate number / issuing authority:	20TB-M0076SGPDOC	NK
4.3	Safety Management (SMC) certificate number / issuing authority:	22JK-M0106SMC	NK
	State outstanding recommendations, if any:		NIL
4.4	Is the vessel operated under a Quality Management System?	YES	
	If Yes, what type of system (ISO9002 or IMO Resolution A.741(18)):	ISO 9001:2000	

5	CARGO ARRANGEMENTS			
ds				
5.1	Number of holds:	5		
5.2	Hold dimensions: L x B x H	No.1/17.88m X 32.26Mx16.76m , No.2/31.16mX32.26mX16.72m No.3/29.52mX32.26mX16.72m , No.4/31.16mX32.26mX16.72m No.5/29.52mX32.26Mx16.72m		
5.3	Are vessel's holds clear and free of any obstructions?	YES ALL CLE	AR	
5.4	Capacity, by hold, excluding wing/topside tanks but including hatchways:	Grain	Bale	
	Hold #1:	13010 CB.M	12339 CB.M	
	Hold #2:	15333 CB.M	14634 CB.M	
	Hold #3:	14553 CB.M	13854 CB.M	
	Hold #4:	15333 CB.M	14634 CB.M	
	Hold #5:	13405 CB.M	12700 CB.M	
	Total:	71634	68161	
5.5	Is vessel strengthened for the carriage of heavy cargoes?	YES		
5.6	If yes, state which holds may be left empty:	HOLDS 2,4 MAY BE EMPTY		
5.7	Is tanktop steel suitable for grab discharge?	YES		
5.8	State whether bulkhead corrugations are vertical or horizontal:	VERTICAL		
5.9	Tanktop strength:	No.1/25t/m2 No.2/20t/m2 No.3/25t/m2 No.4/20t/m2, No.5/25t/m2		
5.1	Are holds CO2 fitted?	YES		
5.11	Are holds fitted with smoke detection system?	YES		
5.12	Is vessel fitted with Australian type approved holds ladders?	YES		
5.13	Has vessel a functioning class certified loadmaster/loadicator or similar calculator?	YES		
5.14	Are holds hoppered at:	ON PORT AND STARB	OARD SIDES	
	Forward bulkhead?	NA		
	Aft bulkhead?	NA		
5.15	Can vessel's holds be described as box shaped?	YES		
5.16	Measurement of any tank slopes/hoppering:	HOLD NO1:-F/9.2M		
5.10	(height and distance from vessel's side at tank top)	HOLD NO.5:-F/3.2M	*	
5.17	Flat floor measurement of cargo holds at tank top: L x W	No.1/27.88mX(10.71m,23.82m) No.2/2 No3./27.06m X 23.824m No4./28.7mX		
5.18	Are vessel's holds electrically ventilated?	NO		

	If yes, state number of air-changes per hour basis empty holds:		
5.19	Type of hold paint:		CHUGOKU, BANNOH 500
5.2	Is vessel fitted for carriage of grain in accordance with chapter V1 of SOLAS 1974 and amendments without requiring bagging, strapping and securing	AS PER SUM	IMER DWT 53700MT MAX KEEPING NO.3 HOLD SLACK
5.21	Is the vessel fitted with A60 Steel Bulkhead?		Yes
Deck and H	atches		
5.22	Number of hatches:		5
5.23	Make and type of hatch covers:		MAC GREGOR FOLDABLE HYDRAULIC
5.24	Hatch dimensions: (Length X Breadth)		No.1/18.86m X 18.26m No2-5/21.32m X 18.26m
5.25	Hatch span (distance from front of forward hatch#1 to aft of rear hatch#5):		140.22
5.26	Strength of hatch covers:		0.865 tone f/m2
5.27	Number, diameter and location of cement holes		2 CEMENT HOLES EACH HOLD DIA/0.80M
5.28	Distance from ship's rail to near and far edge of hatch covers/coaming near an advise the minimum width clear of any obstruction for each hold):	d far (Please	7M
5.29	Distance from bow to fore of 1 <sup>st</sup> hold opening:		16.92 m
5.3	Distance from stern to aft of last hold opening:		33.38 m
5.31	State deck strength:		0.865 tonne f/m2
Ballast			
5.32	Capacity of ballast tanks (100%):		30867 M3
5.33	Ballast holds capacity, state which hold(s):		HOLD 3/14553 M3
5.34 5.35	Vessel's ballasting time / rate of ballasting / Vessel's deballasting time / rate of	f deballasting	900 CBM/HR
5.36	Unpumpable quantity:		200 MT

6	CARGO GEAR (ONLY TO BE COMPLETED IF APPLI	CABLE)			
6.1	If geared state make and type:		MC GREGOR, EI	LECTRO-HYDROLIC	
6.2	Number/location of <del>derricks</del> -/ cranes:		NO2/BETWEEN #2 AND #3 NO.3/BETWEEN #3 AND #4 NO4/BETWEEN #4 AND #5		
6.3	Maximum outreach of gear beyond ships rail		11	.87 m	
6.4	Maximum outreach of gear beyond ships rail with m	aximum cargo lift on hook:	11.0M FROM SH	IPS RAIL OUTWARD	
	If gantry cranes/horizontal slewing cranes - state mi to top of hatch coaming:	inimum clearance distance crane hook	Ì	N/A	
6.6	Time needed for full cycle with maximum cargo lift o	on hook:	151	M/MIN	
	Hoisting time of gear: (Load / Metres Minutes)	Hook		M/MIN	
6.7		Grab	231	M/MIN	
6.8	Luffing time of gear:		MAX-MIN I	RADIUS 65SEC	
6.9	Slewing time of gear:		0.9R	EV/MIN	
6.1	Is gear combinable for heavy lift?			NO	
6.11	Are winches electro-hydraulic?		YES		
6.12	If vessel has grabs on board - state:		MAKE :-SMAG(PEINIER I	MOTOR DUAL SCOOP GRAB	
		Type:	MZGL	MZGL 12500-6B 8850KG	
		Weight:	88		
		Lifting Capacity:	19MT/6	.0-12.5CBM	
		Power source of grabs:	400/440V	50/60 Hz three pha	
		Location of power source:	ON ALL F	OUR CRANES	
6.13	Does vessel have enough power to run 4 cranes and state how many?	4 shore grabs (if applicable). If not pls	4 CRANES	WITH GRABS	
6.14	Is vessel fitted with sufficient lights at each hatch for	night work?		YES	
6.15	Is vessel logs fitted?			NO	
	If yes, state number, type and height of stanchions/s	ockets, if on board:			
6.16	Is vessel log racks fitted?		NO		
6.17	Timber Loadline (if applicable)	Deadweight	Draft	TPC	
	Summer:		NA		
	Winter:		NA		

	Fresh water:		NA	
	Tropical:		NA	
	Tropical fresh water:		NA	
			•	
7				
<del>7.1</del>	Capacity in direct stow of TEU/FEU basis empty tan	<del>ks</del> :	N.A	
	Capacity in direct stow of TEU/FEU basis full tanks:		N.A	
<del>7.2</del>	Are all containers within reach of vessel's gear?		N.A	
<del>7.3</del>	If no, state self sustained capacity:		N.A	l .
7.4	<del>TEU/FEU?</del>	· ·	N.A	l .
<del>7.5</del>	Is vessel fitted with recessed holes/shoes on tanktor and hatch covers?	<del>p and container shoes on weatherdeck</del>	N.A	1
7.6	Advise stack weights and number of tiers on/under	deck ner TEU:	N.A	<u> </u>
7.0	Advise stack weights and number of tiers on/under		N.A	
7.7	Has vessel a container spreader on board?	ucek per 1 20.	N.A	
	· ·			
7.8	Number and type of reefer plugs:		N.A	ı
8	ENGINE ROOM, SPEED AND CONSUMPTION			
8.1	Is vessel fitted with a shaft generator?		N.A	1
ngine Roo	•			
8.2	Engine make/model and type:		DIESEL WARTSILA	6RT-FLEX 50-B
8.3	BHP / RPM of main engine at MCR:	100%	(9480Kw x max 124rpm)	
8.4	BHP / RPM of main engine at NCR (as % of MCR):	85%	7240Kw X 116RPM	
8.5	GENERATORS:		DAIHATSU 5DK 20, 60	60Kw MAX 900RPM
ıel				
8.5	What type/viscosity of fuel is used for main propuls	ion:	RMG 380 CST SPECS : ISO 82 0.5%) + In ECA area, DMA (Sulphur	, ISO 8217 2017, LSMGC
	Capacity (100%) of main engine bunker tanks (LSIF	O + HSIFO; excluding unpumpables):	19240	CBM
8.6	What type/viscosity of fuel is used in the generating	plant:	RMG 380 CST SPECS : ISO 82 0.5%) + In ECA area, DMA (Sulphur	, ISO 8217 2017, LSMGC
	Capacity (100%) of aux engine(s) bunker tanks (LSN unpumpables):	ИGO + HSMGO; excluding	1390	ВМ
eed				
8.7	Ballast:	ABT	AS PER VESSEL	DECCDIDTION
	Laden:	ABT	AS FER VESSEL	DESCRIFTION
	Lauen:			
onsumptio				
			Main	Aux
	ons	ABT	Main	Aux
	ons Passage	ABT ABT	Main	Aux
8.8	ons Passage Ballast:			
8.8	Passage Ballast: Laden: In Port		Main  AS PER VESSEL	
8.8	ons Passage Ballast: Laden: In Port Working:			
8.8	Passage Ballast: Laden: In Port	ABT		
8.8	Passage Ballast: Laden: In Port Working: Idle: Other (specify): Vsl burns extra IFO/MDO when gral	ABT		
8.8	Passage Ballast: Laden: In Port Working: Idle: Other (specify): Vsl burns extra IFO/MDO when gral	ABT		
8.8 8.9 9 9	Passage Ballast: Laden: In Port Working: Idle: Other (specify): Vsl burns extra IFO/MDO when gral	ABT	AS PER VESSEL	DESCRIPTION
8.8 8.9 9.0 9.1	Passage Ballast: Laden: In Port Working: Idle: Other (specify): Vsl burns extra IFO/MDO when gral  MISCELLANEOUS  ations and Electronics  Call sign:	ABT	AS PER VESSEL	DESCRIPTION  52
9.1 9.2	Passage Ballast: Laden: In Port Working: Idle: Other (specify): Vsl burns extra IFO/MDO when gral  MISCELLANEOUS ations and Electronics Call sign: Vessel's INMARSAT – C number:	ABT	AS PER VESSEL 9V64 456663110 /	DESCRIPTION  52 456663111
9.1 9.2 9.3	Passage Ballast: Laden: In Port Working: Idle: Other (specify): Vsl burns extra IFO/MDO when gral  MISCELLANEOUS ations and Electronics Call sign: Vessel's INMARSAT – C number: Vessel's telephone number:	ABT	AS PER VESSEL	DESCRIPTION  52 456663111
9.1 9.2 9.3 9.4	Passage Ballast: Laden: In Port Working: Idle: Other (specify): Vsl burns extra IFO/MDO when gral  MISCELLANEOUS ations and Electronics Call sign: Vessel's INMARSAT – C number: Vessel's telephone number: Vessel's fax number:	ABT	AS PER VESSEL  9V64 456663110 / 00870 773	DESCRIPTION  52 456663111 5203663
90mmunica 9.1 9.2 9.3 9.4 9.5	Passage Ballast: Laden: In Port Working: Idle: Other (specify): Vsl burns extra IFO/MDO when gral  MISCELLANEOUS ations and Electronics Call sign: Vessel's INMARSAT – C number: Vessel's telephone number: Vessel's fax number: Vessel's email address:	ABT  Discrete operating ABT	9V64 456663110 / 00870 773 - Apiradeenaree@sp	DESCRIPTION  52 456663111 1203663 eedmailplus.com
90mmunica 9.1 9.2 9.3 9.4 9.5	Passage Ballast: Laden: In Port Working: Idle: Other (specify): Vsl burns extra IFO/MDO when gral  MISCELLANEOUS ations and Electronics Call sign: Vessel's INMARSAT – C number: Vessel's telephone number: Vessel's fax number:	ABT  Discrete operating ABT	AS PER VESSEL  9V64 456663110 / 00870 773	DESCRIPTION  52 456663111 1203663 eedmailplus.com

9.8	Constants excluding fresh water:	350 MT
9.9	Daily freshwater consumption:	8 MT
9.1	Fresh water capacity:	465 MT
9.11	State daily production of evaporator:	22 MT
9.12	Normal fresh water reserve:	40 MT(EACH TANK)
Insurance		
9.13	P & I Club - Full style:	SKULD SINGAPORE
9.14	P & I Club coverage:	AS PER P&I RULES
9.15	Where is the owners hull and machinery placed:	THE SWEDISH CLUB SWEDEN
9.16	Hull & Machinery insured value:	AS PER VESSEL DESCRIPTION
Vetting		
9.17	Is the vessel RIGHTSHIP approved:	Yes
9.18	Date/Place of last RIGHTSHIP Inspection:	
Port State C	ontrol	
9.19	Date and place of last Port State Control inspection:	15/05/2024 at Mina Saqr, UAE
9.2	Has the vessel been detained by Port State Control in the last 12 months?	No
	Any outstanding deficiencies as reported by any Port State Control. If yes, provide details:	None
9.21	Any Australian Maritime Safety Authority (AMSA) detentions or noted deficiencies. If so, please advise details and specify when/where these items were repaired.	None

10	SUPPLEMENTARY INFORMATION FOR SPECIFIC COMMODITIES/TRADES
10.1	

2008 (BalticExchange.com / Baltic99.com)