THE BALTIC EXCHANGE DRY CARGO QUESTIONNAIRE (BALTIC99)

1	GENERAL INFORMATION		
	Date updated:	30-Ji	un-24
1.2	Vessel's name:	M.V.DARAN	IEE NAREE
1.3	IMO number:	9613	3446
1.4	Vessel's previous name(s) and date(s) of change:	N	/A
1.5	Flag:	SINGA	PORE
1.6	Port of Registry:	SINGA	PORE
1.7	Type of vessel:	BULK C	ARRIER
1.8	Type of hull:	SINGLI	E HULL
Ownership	and Operation		
1.9	Registered owner - Full style:	Precious Bridges Pte.Ltd 01 Tokio Marine Centre S Singapore	
1.1	Parent company/group to which the owner belongs - Full style:	PRECIOUS SHIPPING P Cathay House,North Sath 10500,THAILAND, Tel:(6 Fax:(662) 2377842,6338- TH,CABLE:GCSHIP E-mail:gcship@preciouss	norn Rd.Silom, Bangkok 62) 6968900 to 8999 468, TIx: 82161 GCSHIP
1.11	Technical operator - Full style:	GREAT CIRCLE SHIPPII Tel: +66 2 6968901 Mobile: +66 81 8147690 E-mail:gcship@preciouss	
1.12	Commercial operator - Full style:	Precious Shipping Public Company Ltd. 8/27-28, North Sathorn Road, Bangkok 10500, Thailand Tel: +66 2 696 8800 Fax : +66 2 633 8460	
1.13	Disponent owner - Full style:	380 JALA ARC 380, # SINGAPO	G ASIA PTE. LTD. N BESAR 12-02/03/04 RE 209000 rvicshipping.com
1.14	Does disponent owner have vessel on time charter or bareboat:	A PERIOD TIME CHART 2	ER WITH CP DTD 09-0: 4
1.15	Since when vessel has been under Disponent owner:	19-Fo	eb-24
1.16	Number of vessels in disponent owner's fleet:	N	/A
Builder			
1.17	Builder (where built) / Yard number:	YANGZHOU GUOYU SHIPBUILDING Co.,Ltd. P.R. CHINA	
1.18	Date delivered (built):	29th Nove	mber 2012
Classificati	on		
1.19	Classification society:		VERITAS
1.2	Class notation:		CSR BC-A empty) ESP GRAB
1.21	If Classification society changed, name of previous society:	Ν	/A
1.22	If Classification society changed, date of change:	Ν	/A
	Date and place of last dry dock:(LIEU DRY DOCK)	16-May-22	QINHUANGDAO,CHINA
	Date next dry dock is due:	AS PER OWNER	'S INSTRUCTION
1.25	Date of last special survey / next survey due:	29-May-22	28-May-27

1.26	Date of last annual su	urvey / next survey due:			16-Apr-24	15-Apr-25
		lassification approved enhanced	survey program?		· · · · · · · · · · · · · · · · · · ·	/ES
	Does vessel comply with IACS unified requirements regarding number 1 cargo hold and			jo hold and	Υ.	/F0
1.28	double bottom tank steel structure?				YES	
	Has this compliance been verified by the classification society?				BV	CLASS
imensions	1					
1.29	Length Over All (LOA	.):			189.	.99 mtr
1.3	Length Between Perp	endiculars (LBP):			185.	.00 mtr
1.31	Extreme breadth (Bea	am):			32.1	26 mtr
1.32	Moulded depth:				18.0	00 mtr
1.33	Keel to Masthead (K1	FM) / KTM in collapsed condition ((if applicable):		46.	00 mtr
1.34		ne to top of hatch coamings	No1. Hatch		Midships	Last Hatch
	top of hatch covers if Ballast condition:	side-rolling hatches				
	(ballast holds not floo	ded, basis 50% bunkers)	15.67 mtr		14.95 mtr	14.49 mtr
	Full ballast condition:		10.07		10.05 mbs	10.00
	(ballast holds flooded	, basis 50% bunkers)	12.67 mtr		12.35 mtr	12.29 mtr
	Fully laden condition:		7.80 mtr		7.60 mtr	7.60 mtr
1.35	Distance from keel to top of hatch covers if	top of hatch coamings (or side-rolling hatches):	20.99 mtr		20.97 mtr	20.97 mtr
onnages						
1.36	Gross Tonnage (GT)	/ Net Registered Tonnage (NRT):	:		33,032	19,231
1.37	Suez Canal Tonnage	- Gross (SCGT) / Net (SCNT):			33919.94	31020.76
1.38	Panama Canal Net T	onnage (PCNT):			27380	
badline Inf	ormation					
1.39	Loadline		Deadv	veight	Draft	TPC
	Summer:		56,5	588	12.818	58.8
	Winter:		55,0	017	12.551	
	Winter North Atlantic:		N/	A	N/A	
	Fresh water:		56,5	588	13.106	
	Tropical:		58,1	161	13.085	
	Tropical fresh water:		58,1	61	13.373	
	Full Ballast condition:					
	(ballast holds not floo	ded, basis 50% bunkers) (about	t) 16,4	176		
	Lightship: Draft:	Displacement :	mt		F0.60m / A4.55m	11,093.08 mt
	FWA at summer draft	·				8 mm
	TPC on summer draft					58.8
vessel fit		·				
	Transit of Panama Ca	20212			Ň	/EQ
1.4		ght all told on 39ft 6in / 12.039m (SC 0 0054):		YES	
			,		50,429	
		adweight all told affected by vesse	a s blige turn radius?		NO	
	Transit of Suez Cana				YES	
1.42	Transit of St. Lawrend		<u> </u>			NO
		ht all told on 26ft / 7.92m fresh w	ater:			N.A.
ecent Ope	rational History					
1.43	Has vessel been involved in a pollution, grounding, serious casualty or collision incident			ollution: NO rounding: NO asualty: NO		
				C	ollision: NO	
	4 Voyage History					
1.44	Voyage History					
1.44	Voyage History Voy#	Charterer		Cargo	D Load-Disch	narge Ports

	2 nd :	NORVIC SHIPPING ASIA PTE. LTD.	LIME STONE IN BULK	MINA SAQR, UAE- PORBANDAR, INDIA
	3 rd :	NORVIC SHIPPING ASIA PTE. LTD.	FURNACE SLAG	FUKUYAMA, JAPAN - MESAIEED, QATAR
	4 th :	CARGILL OCEAN TRANSPORTATION , SINGAPORE, PTE LTD.	Manganese ore	Groote Eylandt, Australia - Qinzhou, China&Kwangyang, South Korea
	5 th :	TAICHI SHIPPING CO., LIMITED	Iron ore	Gopalpur, India - Bahodopi, Indonesia
1.4	45 Specify the	security level at which the ship is currently operating (ISSC):		1

2	CERTIFICATION	Issued	Last Annual	Expires
2.1	Safety Equipment Certificate:	7-Jul-23	16-Apr-24	3-May-27
2.2	Safety Radio Certificate:	29-May-22	16-Apr-24	3-May-27
2.3	Safety Construction Certificate:	29-May-22	16-Apr-24	3-May-27
2.4	Loadline Certificate:	29-May-22	16-Apr-24	3-May-27
2.5	(SMC):	14-Mar-23		16-Apr-28
2.6	Document of Compliance (DOC): 20TB-M0076SGPDOC	4-Nov-20	9-Oct-23	19-Nov-25
2.7	Cargo Gear survey:	29-May-22	13-Mar-24	28-May-27
2.8	Cargo securing manual:	28-Nov-12		
2.9	International Oil Pollution Prevention Certificate (IOPPC):	29-May-22	16-Apr-24	3-May-27
2.1	Ship Sanitation Control (SSCC) / Ship Sanitation Control Exemption (SSCE) Certificate	20-Apr-24		20-Oct-24
2.11	USCG COFR:	28-Nov-21		28-Nov-24
2.12	International Ship Security Certificate (ISSC):	14-Mar-23		16-Apr-28

3	CREW MANAGEMENT	
3.1	Number of Officers: (including Master)	10
3.2	Number of crew:	12
3.3	Name and nationality of Master:	Capt. Ekkalak Koedsiri, Thai
3.4	Nationality of Officers:	9 Thais , 1 Indians
3.5	Nationality of crew:	3 Thais , 9 Indians
3.6	What is the common working language onboard:	English
3.7	Do officers speak and understand English?	Yes

4	SAFETY MANAGEMENT		
4.1	Is the vessel ISM certified?	Y	es
4.2	Document of Compliance (DOC) certificate number / issuing authority:	20TB-M0076SGPDOC	Class NK
4.3	Safety Management (SMC) certificate number / issuing authority:	23ZD-M0031SMC	Class NK
	State outstanding recommendations, if any:	N	/Α
4.4	Is the vessel operated under a Quality Management System?	Yes	
	If Yes, what type of system (ISO9002 or IMO Resolution A.741(18)):	ISO	9001

5 CARGO ARRANGEMENTS						
Holds	lds					
5.1 Number of holds:	5					
5.2 Hold dimensions: L x B x H	H1 : 27.88*32.26*18.32 H2 : 31.16*32.26*18.12 H3 : 29.52*32.26*18.12 H4 : 31.16*32.26*18.12 H5 : 29.52*32.26*18.12					
5.3 Are vessel's holds clear and free of any obstructions?	Yes					

0.1	Capacity, by hold, excluding wing/topside tanks but including hatchways:		Grain CBM	Bale
	Hold #1:		13,009.86	N.A.
	Hold #2:		15,333.25	N.A.
	Hold #3:		14,553.08	N.A.
	Hold #4:		15,333.27	N.A.
	Hold #5:		13,404.64	N.A.
	Total:		71,634.10	
5.5	Is vessel strengthened for the carriage of heavy cargoes?		YES	
5.6	If yes, state which holds may be left empty:		HOLDS 2	& 4
5.7	Is tanktop steel suitable for grab discharge?		Yes	
5.8	State whether bulkhead corrugations are vertical or horizontal:		Vertical Corru	ugation
5.9	Tanktop strength:		hold 1,3,5 / 25MT & h	nold 2,4 / 20MT
5.1	Are holds CO2 fitted?		Yes	
5.11	Are holds fitted with smoke detection system?		Yes	
5.12	Is vessel fitted with Australian type approved holds ladders?	YE	S(Spiral Ladder within	corrugate bulkhead)
5.13	Has vessel a functioning class certified loadmaster/loadicator or similar calculator?		Yes	
5.14	Are holds hoppered at:		Hold sid	de
	Forward bulkhead?		No	
	Aft bulkhead?		No	
5.15	Can vessel's holds be described as box shaped?		Yes	
5.16	Measurement of any tank slopes/hoppering:	AB	A= 4.218m, B= 6.0r	n C= 4 218m
	(height and distance from vessel's side at tank top) Flat floor measurement of cargo holds at tank top: L x W	C		V 23.80(aft) x H 18.32
		H2 : L 28.65 x W 23.80(fwd&aft) x H 18.12 H3 :L 27.00 x W 23.80(fwd&aft) x H 18.12 H4 :L 28.65 x W 23.80(fwd&aft) x H 18.12 H5 :L 26.95 x W 23.8(fwd) x W 9.00(aft) x H 18.12 Hatch coaming H1= 2.07 m , H2,H3,H4,H5= 1.89 m		
		H3 :L 27.00 H4 :L 28.69 H5 :L 26.99	0 x W 23.80(fwd&aft 5 x W 23.80(fwd&aft 5 x W 23.8(fwd) x W) x H 18.12) x H 18.12 9.00(aft) x H 18.12
5.18	Are vessel's holds electrically ventilated?	H3 :L 27.00 H4 :L 28.69 H5 :L 26.99	0 x W 23.80(fwd&aft 5 x W 23.80(fwd&aft 5 x W 23.8(fwd) x W ning H1= 2.07 m , H) x H 18.12) x H 18.12 9.00(aft) x H 18.12
5.18	Are vessel's holds electrically ventilated? If yes, state number of air-changes per hour basis empty holds:	H3 :L 27.00 H4 :L 28.69 H5 :L 26.99	0 x W 23.80(fwd&aft 5 x W 23.80(fwd&aft 5 x W 23.8(fwd) x W ning H1= 2.07 m , H No) x H 18.12) x H 18.12 9.00(aft) x H 18.12
		H3 :L 27.00 H4 :L 28.63 H5 :L 26.93 Hatch coar	0 x W 23.80(fwd&aft 5 x W 23.80(fwd&aft 5 x W 23.8(fwd) x W ning H1= 2.07 m , H <u>No</u> NA.) x H 18.12) x H 18.12 9.00(aft) x H 18.12 2,H3,H4,H5= 1.89 m
	If yes, state number of air-changes per hour basis empty holds:	H3 :L 27.00 H4 :L 28.63 H5 :L 26.93 Hatch coar	0 x W 23.80(fwd&aft 5 x W 23.80(fwd&aft 5 x W 23.8(fwd) x W ning H1= 2.07 m , H <u>No</u> NA.) x H 18.12) x H 18.12 9.00(aft) x H 18.12 2,H3,H4,H5= 1.89 m
5.19 5.2	If yes, state number of air-changes per hour basis empty holds: Type of hold paint: Is vessel fitted for carriage of grain in accordance with chapter V1 of SOLAS 1974 and amendments without requiring bagging, strapping and securing when loading a full cargo (deadweight) of heavy grain in bulk (stowage factor 42 cu. Feet) with ends untrimmed?	H3 :L 27.00 H4 :L 28.63 H5 :L 26.93 Hatch coar	0 x W 23.80(fwd&aft 5 x W 23.80(fwd&aft 5 x W 23.8(fwd) x W ning H1= 2.07 m , H <u>No</u> N.A. UARD 630GREY / 2NI) x H 18.12) x H 18.12 9.00(aft) x H 18.12 2,H3,H4,H5= 1.89 m
5.19 5.2 5.21	If yes, state number of air-changes per hour basis empty holds: Type of hold paint: Is vessel fitted for carriage of grain in accordance with chapter V1 of SOLAS 1974 and amendments without requiring bagging, strapping and securing when loading a full cargo (deadweight) of heavy grain in bulk	H3 :L 27.00 H4 :L 28.69 H5 :L 26.99 Hatch coar	0 x W 23.80(fwd&aft 5 x W 23.80(fwd&aft 5 x W 23.8(fwd) x W ning H1= 2.07 m , H <u>No</u> <u>N.A.</u> UARD 630GREY / 2NI Yes) x H 18.12) x H 18.12 9.00(aft) x H 18.12 2,H3,H4,H5= 1.89 m D JOTAGUARD 630 RED
5.19 5.2 5.21	If yes, state number of air-changes per hour basis empty holds: Type of hold paint: Is vessel fitted for carriage of grain in accordance with chapter V1 of SOLAS 1974 and amendments without requiring bagging, strapping and securing when loading a full cargo (deadweight) of heavy grain in bulk (stowage factor 42 cu. Feet) with ends untrimmed? Is the vessel fitted with A60 Steel Bulkhead?	H3 :L 27.00 H4 :L 28.69 H5 :L 26.99 Hatch coar	0 x W 23.80(fwd&aft 5 x W 23.80(fwd&aft 5 x W 23.8(fwd) x W ning H1= 2.07 m , H No N.A. UARD 630GREY / 2NI Yes Yes) x H 18.12) x H 18.12 9.00(aft) x H 18.12 2,H3,H4,H5= 1.89 m D JOTAGUARD 630 RED 06/22 FUKUYAMA BERTI MA, JAPAN)
5.19 5.2 5.21 5.22	If yes, state number of air-changes per hour basis empty holds: Type of hold paint: Is vessel fitted for carriage of grain in accordance with chapter V1 of SOLAS 1974 and amendments without requiring bagging, strapping and securing when loading a full cargo (deadweight) of heavy grain in bulk (stowage factor 42 cu. Feet) with ends untrimmed? Is the vessel fitted with A60 Steel Bulkhead? LAST BALLAST HEAVY NO 3 BALLAST /DISCH TIME BALLAST / TIME DISCH/CLEANING	H3 :L 27.00 H4 :L 28.69 H5 :L 26.99 Hatch coar	0 x W 23.80(fwd&aft 5 x W 23.80(fwd&aft 5 x W 23.8(fwd) x W ning H1= 2.07 m , H No N.A. UARD 630GREY / 2NI Yes Yes ANMON ,JAPAN)/(10/ (14/11/23 FUKUYA) x H 18.12) x H 18.12 9.00(aft) x H 18.12 2,H3,H4,H5= 1.89 m D JOTAGUARD 630 RED 06/22 FUKUYAMA BERTH MA, JAPAN)
5.19 5.2 5.21 5.22 5.23 5.23 ck and H	If yes, state number of air-changes per hour basis empty holds: Type of hold paint: Is vessel fitted for carriage of grain in accordance with chapter V1 of SOLAS 1974 and amendments without requiring bagging, strapping and securing when loading a full cargo (deadweight) of heavy grain in bulk (stowage factor 42 cu. Feet) with ends untrimmed? Is the vessel fitted with A60 Steel Bulkhead? LAST BALLAST HEAVY NO 3 BALLAST /DISCH TIME BALLAST / TIME DISCH/CLEANING	H3 :L 27.00 H4 :L 28.69 H5 :L 26.99 Hatch coar	0 x W 23.80(fwd&aft 5 x W 23.80(fwd&aft 5 x W 23.8(fwd) x W ning H1= 2.07 m , H No NA. UARD 630GREY / 2NI Yes Yes ANMON ,JAPAN)/(10// (14/11/23 FUKUYA 14HR/10HR/5) x H 18.12) x H 18.12 9.00(aft) x H 18.12 2,H3,H4,H5= 1.89 m D JOTAGUARD 630 RED 06/22 FUKUYAMA BERTH MA, JAPAN)
5.19 5.2 5.21 5.23 5.23 5.23 ck and H 5.22	If yes, state number of air-changes per hour basis empty holds: Type of hold paint: Is vessel fitted for carriage of grain in accordance with chapter V1 of SOLAS 1974 and amendments without requiring bagging, strapping and securing when loading a full cargo (deadweight) of heavy grain in bulk (stowage factor 42 cu. Feet) with ends untrimmed? Is the vessel fitted with A60 Steel Bulkhead? LAST BALLAST HEAVY NO 3 BALLAST /DISCH TIME BALLAST / TIME DISCH/CLEANING atches Number of hatches:	H3 :L 27.00 H4 :L 28.69 H5 :L 26.99 Hatch coar	0 x W 23.80(fwd&aft 5 x W 23.80(fwd&aft 5 x W 23.8(fwd) x W ning H1= 2.07 m , H No N.A. UARD 630GREY / 2NI Yes Yes ANMON ,JAPAN)/(10// (14/11/23 FUKUYA 14HR/10HR/5) x H 18.12) x H 18.12 9.00(aft) x H 18.12 2,H3,H4,H5= 1.89 m D JOTAGUARD 630 RED 06/22 FUKUYAMA BERTH MA, JAPAN) HR/7HR hatches
5.19 5.2 5.21 5.23 5.23 ck and H 5.22 5.23	If yes, state number of air-changes per hour basis empty holds: Type of hold paint: Is vessel fitted for carriage of grain in accordance with chapter V1 of SOLAS 1974 and amendments without requiring bagging, strapping and securing when loading a full cargo (deadweight) of heavy grain in bulk (stowage factor 42 cu. Feet) with ends untrimmed? Is the vessel fitted with A60 Steel Bulkhead? LAST BALLAST HEAVY NO 3 BALLAST /DISCH TIME BALLAST / TIME DISCH/CLEANING atches	H3 :L 27.00 H4 :L 28.69 H5 :L 26.99 Hatch coar	0 x W 23.80(fwd&aft 5 x W 23.80(fwd&aft 5 x W 23.8(fwd) x W ning H1= 2.07 m , H No N.A. UARD 630GREY / 2NI Yes ANMON ,JAPAN)/(10/ (14/11/23 FUKUYA 14HR/10HR/5 5 TTS Huahai / Elect H1 W 18.20 H2 W 18.20 H3 W 18.20 H3 W 18.20) x H 18.12) x H 18.12 9.00(aft) x H 18.12 2,H3,H4,H5= 1.89 m D JOTAGUARD 630 RED 06/22 FUKUYAMA BERTH MA, JAPAN) HR/7HR
5.19 5.2 5.21 5.23 5.23 5.23 5.24	If yes, state number of air-changes per hour basis empty holds: Type of hold paint: Is vessel fitted for carriage of grain in accordance with chapter V1 of SOLAS 1974 and amendments without requiring bagging, strapping and securing when loading a full cargo (deadweight) of heavy grain in bulk (stowage factor 42 cu. Feet) with ends untrimmed? Is the vessel fitted with A60 Steel Bulkhead? LAST BALLAST HEAVY NO 3 BALLAST /DISCH TIME BALLAST / TIME DISCH/CLEANING atches Number of hatches: Make and type of hatch covers: Hatch dimensions: (Length X Breadth)	H3 :L 27.00 H4 :L 28.69 H5 :L 26.99 Hatch coar	0 x W 23.80(fwd&aft 5 x W 23.80(fwd&aft 5 x W 23.8(fwd) x W ning H1= 2.07 m , H No NA. UARD 630GREY / 2NI Yes ANMON ,JAPAN)/(10// (14/11/23 FUKUYA 14HR/10HR/5 5 TTS Huahai / Elect H1 W 18.20 H2 W 18.20 H3 W 18.20 H4 W 18.20 H5 W 18.20) x H 18.12) x H 18.12 9.00(aft) x H 18.12 2,H3,H4,H5= 1.89 m D JOTAGUARD 630 RED 06/22 FUKUYAMA BERTH MA, JAPAN) HR/7HR hatches tro Hydraulic Folding Type 6 x L 18.86 (Meter) 6 x L 21.32 (Meter) 6 x L 21.32 (Meter) 6 x L 21.32 (Meter)
5.19 5.2 5.21 5.23 5.23 ck and H 5.22 5.23 5.24	If yes, state number of air-changes per hour basis empty holds: Type of hold paint: Is vessel fitted for carriage of grain in accordance with chapter V1 of SOLAS 1974 and amendments without requiring bagging, strapping and securing when loading a full cargo (deadweight) of heavy grain in bulk (stowage factor 42 cu. Feet) with ends untrimmed? Is the vessel fitted with A60 Steel Bulkhead? LAST BALLAST HEAVY NO 3 BALLAST /DISCH TIME BALLAST / TIME DISCH/CLEANING atches Number of hatches: Make and type of hatch covers:	H3 :L 27.00 H4 :L 28.69 H5 :L 26.99 Hatch coar	0 x W 23.80(fwd&aft 5 x W 23.80(fwd&aft 5 x W 23.8(fwd) x W ning H1= 2.07 m , H No N.A. UARD 630GREY / 2NI Yes Yes ANMON ,JAPAN)/(10// (14/11/23 FUKUYA 14HR/10HR/5 5 TTS Huahai / Elect H1 W 18.20 H2 W 18.20 H3 W 18.20 H4 W 18.20 H4 W 18.20 H4 W 18.20 H4 W 18.20 H4 W 18.20 H4 W 18.20 H5 W 18.20) x H 18.12) x H 18.12 9.00(aft) x H 18.12 2,H3,H4,H5= 1.89 m D JOTAGUARD 630 RED 06/22 FUKUYAMA BERTH MA, JAPAN) HR/7HR hatches tro Hydraulic Folding Type 6 x L 18.86 (Meter) 6 x L 21.32 (Meter) 6 x L 21.32 (Meter) 6 x L 21.32 (Meter)

5.28	Distance from ship's rail to near and far edge of hatch covers/coaming near and far (Please advise the minimum width clear of any obstruction for each hold):	H1: 4.10 m H2: 4.50 m H3: 4.50 m H4: 4.00 m H5: 4.50 m
5.29	Distance from bow to fore of 1 st hold opening:	16.3 Meter
5.3	Distance from stern to aft of last hold opening:	33.1 Meter
5.31	State deck strength:	Deck loading NOT Allowed
Ballast		
5.32	Capacity of ballast tanks (100%):	16,314.13 CBM
5.33	Ballast holds capacity, state which hold(s):	Hold no.3: 14,553.08 CBM
	Vessel's ballasting time / rate of ballasting / Vessel's deballasting time / rate of deballasting	Ballast : abt 15.0 Hrs , 1400 CBM/Hr De-Ballast : abt 18.0 Hrs , 1400 CBM/Hr
5.36	Unpumpable quantity:	150 CBM

6	CARGO GEAR (ONLY TO BE COMPLETED IF AP	PLICABLE)		
6.1	If geared state make and type:		MACGREGO	R, GLB3628-2
6.2	Number/location of derricks-/ cranes:	4 cranes / Cross	deck No.1,2,3,4	
6.3	Maximum outreach of gear beyond ships rail		About 11.9 meter	
6.4	Maximum outreach of gear beyond ships rail with m	naximum cargo lift on hook:	About 11	1.9 meter
6.5	If gantry cranes/horizontal slewing cranes - state m hook to top of hatch coaming:	inimum clearance distance crane	N	.Α
6.6	Time needed for full cycle with maximum cargo lift	on hook:	65	sec
6.7	Hoisting time of gear: (Load / Metres Minutes)	Hook Grab		I/MIN I/MIN
6.8	Luffing time of gear:		65 \$	SEC
6.9	Slewing time of gear:		0.9 RE	EV/MIN
6.1	Is gear combinable for heavy lift?		N	lo
6.11	Are winches electro-hydraulic?		Y	es
6.12	If vessel has grabs on board - state:		Yes	
		Туре:	Dual scoop	motor grab
		Weight:	8.85	5 MT
		Lifting Capacity:	6.0-12.	.5 CBM
		Power source of grabs:	AC 440 Volts-3 Phase	
		Location of power source:	Deck	Crane
6.13	Does vessel have enough power to run 4 cranes ar pls state how many?	nd 4 shore grabs (if applicable). If not	Yes	
6.14	Is vessel fitted with sufficient lights at each hatch for	or night work?	provided with por	rtable cargo lights
6.15	Is vessel logs fitted?		N	l o
	If yes, state number, type and height of stanchions/	sockets, if on board:		
6.16	Is vessel log racks fitted?		N	l o
6.17	Timber Loadline (if applicable)	Deadweight	Draft	TPC
	Summer:		N/A	N/A
	Winter:		N/A	N/A
	Winter North Atlantic:		N/A	N/A
	Fresh water:		N/A	N/A
	Tropical:		N/A	N/A
	Tropical fresh water:		N/A	N/A

7		
7.1	Capacity in direct stow of TEU/FEU basis empty tanks:	
	Capacity in direct stow of TEU/FEU basis full tanks:	
7.2	Are all containers within reach of vessel's gear?	
7.3	If no, state self sustained capacity:	
//	If vessel fitted with all permanent and loose fittings/lashing materials for above number- of TEU/FEU?	

7.5	Is vessel fitted with recessed holes/shoes on tanktop and container shoes on- weatherdeck and hatch covers?	
7.6	Advise stack weights and number of tiers on/under deck per TEU:	
	Advise stack weights and number of tiers on/under deck per FEU:	
7.7	Has vessel a container spreader on board?	
7.8	Number and type of reefer plugs:	

8	ENGINE ROOM, SPEED AND CONSUMPTION			
8.1	Is vessel fitted with a shaft generator?		NO	
Engine Roc	om			
8.2	Engine make/model and type:		WARTSILA 6RT-flex 50B	
	BHP / RPM of main engine at MCR:	100%	9480	124
8.4	BHP / RPM of main engine at NCR (as % of MCR):	85%	8058	115
	GENERATORS :		3 Generators / Daihatsu 5DK-20e	
uel				
8.5	What type/viscosity of fuel is used for main propulsion:		RMG 380 CST SPECS : ISO 8217 2017 VLSFO (Sulphur< 0.5%) + In ECA area, DMA ISO 8217 2017, LSMGO (Sulphur < 0.1%)	
	Capacity (100%) of main engine bunker tanks (LSIFO + HSIFO; excluding unpumpables):		LSFO 1837.21m ³ / LSMGO 424.32 m ³	
8.6	6 What type/viscosity of fuel is used in the generating plant: Capacity (100%) of aux engine(s) bunker tanks (LSMGO + HSMGO; excluding unpumpables):		RMG 380 CST SPECS : ISO 8217 2017 VLSFO (Sulphur< 0.5%) + In ECA area, DMA ISO 8217 2017, LSMGO (Sulphur < 0.1%)	
			LSFO 1837.21m ³ / LSMGO 424.32 m ³	
peed	•			
8.7	Ballast:	ABT		
	Laden: ABT		AS PER VESSEL DESCRIPTION	
onsumpti	ons			
8.8	Passage		Main	Aux
	Ballast:	ABT		
	Laden: ABT		AS PER VESSEL DESCRIPTION	
8.9	In Port			
	Working: Idle:			
	Other (specify): Vsl burns extra IFO/MDO when gra	abs are operating ABT		
8.1	SEA SPEED RPM 101 / 12.5 KTS		AT KANMON ST JAPAN	

9	MISCELLANEOUS			
Communications and Electronics				
9.1	1 Call sign: 9V6453			
9.2	Vessel's INMARSAT – C number:	No.1: 456670710, No.2: 456670711		
9.3	Vessel's telephone number:	STARLINK TEL: +6625660149		
9.4	Vessel's fax number:	(+)870 - 783308120		
9.5	Vessel's email address:	<u>daraneenaree@shipmail.net and</u> postfix@preciousshipping.com		
9.6	Vessel's MMSI No. (Maritime Mobile Selective call Identity Code):	566707000		
9.7	Vessel's onboard electrical supply (V / Hz):	AC 220V 60Hz		
Constants/I	resh Water			
9.8	Constants excluding fresh water:	500 MT		
9.9	Daily freshwater consumption:	8 MT		
9.1	Fresh water capacity:	465.41 MT		
9.11	State daily production of evaporator:	About 18 MT/DAY		
9.12	Normal fresh water reserve:	200 MT		

nsurance			
9.13		UK P&I Club, The Managers, Thomas Miller P&I (Europe) Ltd., 90 Fenchurch Street, London EC3M 4ST Tel: +44 (0)20 7283 4646 Fax:+44 (0)20 7621 9761	
9.14	P & I Club coverage:	AS PER P&I RULES	
9.15	Where is the owners hull and machinery placed:	The Swedish Club	
9.16	Hull & Machinery insured value:	AS PER VESSEL DESCRIPTION	
/etting			
9.17	Is the vessel RIGHTSHIP approved:	Yes	
9.18	Date/Place of last RIGHTSHIP Inspection:	N/A	
Port State C	Control		
9.19	Date and place of last Port State Control inspection:	4 TH JUNE 2024 / KWINANA, AUSTRALIA	
9.2	Has the vessel been detained by Port State Control in the last 12 months?	No	
	Any outstanding deficiencies as reported by any Port State Control. If yes, provide details:	No	
9.21	Any Australian Maritime Safety Authority (AMSA) detentions or noted deficiencies. If so, please advise details and specify when/where these items were repaired.	No	

10 SUPPLEMENTARY INFORMATION FOR SPECIFIC COMMODITIES/TRADES

10.1

2008 (BalticExchange.com / <u>Baltic99.com</u>)