## THE BALTIC EXCHANGE DRY CARGO QUESTIONNAIRE (BALTIC99)

Version 2

	GENERAL INFORMATION			
1.1	Date updated:	30-Jun-2	24	
1.2	Vessel's name:	KANCHANA	NAREE	
1.3	IMO number:	943473	5	
	Vessel's previous name(s) and date(s) of change:	NA		
	Flag:	THAILAN	ND	
	Port of Registry:	BANGKO	)K	
	Type of vessel:	BULK CAR	-	
	Type of hull:	DOUBLE H		
	ship and Operation	DOODLE		
	Registered owner - Full style:	CATHAY HOUSE, 8 NORTH	PRECIOUS METALS LIMITED 7TH FLOOR, CATHAY HOUSE, 8 NORTH SATHORN ROAD, BANGKOK 10500, THAILAND	
1.1	Parent company/group to which the owner belongs - Full style:	PRECIOUS SHIPPING PUBL LIMITED, 7TH FLOOR, CATH SATHORN ROAD, BANGKO TEL: +662-696-8800. FAX: + EMAIL: psl@preciousshipping	HAY HOUSE, 8 K 10500, THAILAND. -662 2367654.	
1.11	Technical operator - Full style:	FLOOR CATHAY HOUSE, 8/ SATHORN ROAD, BANGKO TEL: +662 6968900-99. FAX	GREAT CIRCLE SHIPPING AGENCY LTD. 10TH FLOOR CATHAY HOUSE, 8/35 NORTH SATHORN ROAD, BANGKOK 10500, THAILAND. TEL: +662 6968900-99. FAX: +662 2377842. EMAIL:gcship@preciousshipping.com	
1.12	Commercial operator - Full style:	Phibulldam building, 8 SA BANGKOK 10500, THAIL 696-8800. FAX: +662 236	PRECIOUS METALS LIMITED, 7TH FLOOR, Phibulldam building, 8 SATHORN ROAD, BANGKOK 10500, THAILAND. TEL: +662- 696-8800. FAX: +662 2367654. EMAIL: psl@preciousshipping.com	
1.13	Disponent owner - Full style:	N/A		
1 14	Does disponent owner have vessel on time charter or bareboat:	NO		
		NO		
	Since when vessel has been under Disponent owner:	NO		
1.15	Since when vessel has been under Disponent owner: Number of vessels in disponent owner's fleet:	NO N/A		
1.15 1.16	Number of vessels in disponent owner's fleet:			
1.15 1.16 <b>Builde</b>	Number of vessels in disponent owner's fleet:	N/A TAIZHOU SANFU SHIP	SF060109	
1.15 1.16 <b>Builde</b> 1.17	Number of vessels in disponent owner's fleet: r	N/A TAIZHOU SANFU SHIP ENGINEERING CO.		
1.15 1.16 <b>Builde</b> 1.17 1.18	Number of vessels in disponent owner's fleet: r Builder (where built) / Yard number:	N/A TAIZHOU SANFU SHIP ENGINEERING CO. LTD. JIANGSU CHINA		
1.15 1.16 Builde 1.17 1.18 Classif	Number of vessels in disponent owner's fleet: r Builder (where built) / Yard number: Date delivered (built):	N/A TAIZHOU SANFU SHIP ENGINEERING CO. LTD. JIANGSU CHINA	11	
1.15 1.16 Builde 1.17 1.18 Classin 1.19	Number of vessels in disponent owner's fleet: r Builder (where built) / Yard number: Date delivered (built): fication	N/A TAIZHOU SANFU SHIP ENGINEERING CO. LTD. JIANGSU CHINA 28-Oct-1	RITAS RRIER CSR BC-A PTY) ESP ED NAVIGATION,	

1.22	If Classification society changed, date of change:		NA	
1.23 [	Date and place of last dry dock:		02-Sep-21	SHIPYARD,
1.24 [	Date next dry dock is due:		02-Sep-	24
	Date of last special survey / next survey due:		24-Sep-21	27-Oct-26
	Date of last annual survey / next survey due:		18-Sep-23	27-Oct-24
1.27 I	Is vessel entered in classification approved enhanced	survey program?	N/A	
	Does vessel comply with IACS unified requirements re	garding number 1 cargo hold	N/A	
έ	and double bottom tank steel structure?		14,74	
l Dimensi	Has this compliance been verified by the classification	society?		
			189.99	N.4
	Length Over All (LOA):		189.99 185 M	
	Length Between Perpendiculars (LBP): Extreme breadth (Beam):		32.296	
-			32.296 18 M	IVI
	Moulded depth: Keel to Masthead (KTM) / KTM in collapsed condition	(if appliable);	46.5 N	1
			40.5 10	
1.34	Distance from waterline to top of hatch coamings or	No1. Hatch	Midships	Last Hatch
t	top of hatch covers if side-rolling hatches		•	
E	Ballast condition: F=4.70, A=6.70 M			
(	(ballast holds not flooded, basis 50% bunkers)	15.65 M	14.50 M	13.50 M
F	Full ballast condition: F=8.00, A=8.80 M	12.35 M	11.80 M	11.40 M
(	(ballast holds flooded, basis 50% bunkers)	12.00 1	11.00 m	
F	Fully laden condition: ( SUMMER DRAFT EK)	7.53 M	7.38 M	7.38 M
	Distance from keel to top of hatch coamings (or top of hatch covers if side-rolling hatches):	20.35 M	20.20 M	20.20 M
onnage	es			
1.36	Gross Tonnage (GT) / Net Registered Tonnage (NRT)	:	33044	19231
1.37 \$	Suez Canal Tonnage – Gross (SCGT) / Net (SCNT):		33919.94	31013.03
1.38 F	Panama Canal Net Tonnage (PCNT):		27449	
	e Information			
	Loadline	Deadweight	Draft	TPC
	Summer:	56920 MT	12.818 M	58.80 MT
١	Winter:	55349 MT	12.551 M	58.70 MT
١	Winter North Atlantic:			
	Fresh water:		13.106 M	
	Tropical:	58493 MT	13.085 M	58.90 MT
	Tropical fresh water:		13.373 M	
	Full Ballast condition:	27,130 MT	F=4.70, A=6.70 M	52.86 MT
	(ballast holds not flooded, basis 50% bunkers) (about	t)	-,	
		ement : 10761 MT		
	FWA at summer draft:		288 MM	
	TPC on summer draft		58.80 N	IT
	el fitted for:			
	Transit of Panama Canal?		YES	
	If yes, state deadweight all told on 39ft 6in / 12.039m (		50,523.86	MT
	If yes, is Panama deadweight all told affected by vesse	el's bilge turn radius?		
	Transit of Suez Canal?		YES	
	Transit of St. Lawrence Seaway? If yes, state deadweight all told on 26ft / 7.92m fresh w		NO	
			NA	

1.43 Has vessel been involved in a pollution, grounding, serious casualty or collision incident during the past 12 months? If yes, give details:

Pollution: NO Grounding: NO Casualty: NO Collision: NO

	1.44 Voyage History Voy# Charterer Cargo Load-Discharge Ports							
	Voy#	Gliaiterei	Cargo	ů				
	last	LYNUX SHIPPING LTD	GENERAL CARGOES	DALIAN + TIANJIN - KARACHI, PAKISTAN				
	2	SUMMIT TRADING SA						
	3	XO SHIPPING A/S	CLINKER IN BULK	ORAN, ALGERIA - CONAKRY, GUINEA				
	4	WESTERN BULK CARRIERS AS	BAUXITE IN BULK	KAMSAR, GUINEA - AUGHINISH, IRELAND				
	5	CENTURION BULK PTE LTD	CLINKER IN BULK	ORAN, ALGERIA - FREETOWN, SIERRA LEONE				
1.45	1.45 Specify the security level at which the ship is currently operating (ISSC):							

2	CERTIFICATION	Issued	Last Annual	Expires
2.1	Safety Equipment Certificate:	26-Sep-23	18-Sep-23	27-Oct-26
2.2	Safety Radio Certificate:	26-Sep-23	18-Sep-23	27-Oct-26
2.3	Safety Construction Certificate:	13-Nov-23	18-Sep-23	27-Oct-26
2.4	Loadline Certificate:	24-Sep-21	18-Sep-23	27-Oct-26
2.5	Safety Management Certificate (SMC):	9-Feb-22	-	28-Mar-27
2.6	Document of Compliance (DOC):	4-Nov-20	9-Oct-23	19-Nov-25
2.7	Cargo Gear survey:	24-Sep-21	18-Sep-23	27-Oct-26
2.8	Cargo securing manual:	1-Feb-09	-	-
2.9	International Oil Pollution Prevention Certificate (IOPPC):	13-Nov-23	18-Sep-23	27-Oct-26
2.1	Ship Sanitation Control (SSCC) / Ship Sanitation Control Exemption (SSCE) Certificate	20-May-24	-	20-Nov-24
2.11	USCG COFR:	14-Nov-23	-	14-Nov-26
2.12	International Ship Security Certificate (ISSC):	9-Feb-22	-	28-Mar-27

3	CREW MANAGEMENT	
3.1	Number of Officers: (including Master)	11
3.2	Number of crew:	12
3.3	Name and nationality of Master:	CAPT.SAYCHON DEEWAN / THAI
3.4	Nationality of Officers:	THAI
3.5	Nationality of crew:	THAI
3.6	What is the common working language onboard:	ENGLISH
3.7	Do officers speak and understand English?	YES

4	SAFETY MANAGEMENT		
4.1	Is the vessel ISM certified?	YES	
4.2	Document of Compliance (DOC) certificate number / issuing authority:	20TB-M0076THADOC	NKK
4.3	Safety Management (SMC) certificate number / issuing authority:	22BY-M0015SMC	NKK
	State outstanding recommendations, if any:	NONE	
4.4	Is the vessel operated under a Quality Management System?	YES	

If Yes, what type of system (ISO9002 or IMO Resolution A.741(18)):

ISO9002

5	CARGO ARRANGEMENTS			
Holds				
5.1	Number of holds:		5	
5.2	Hold dimensions: L x B x H	No.1: 27.80 x 10.65 (fwd) x 23.80 (aft) x 16.72 M No.2: 28.65 x 23.80 x 16.72 M No.3: 27.00 x 23.80 x 16.72 M No.4: 28.65 x 23.80 x 16.72 M No.5: 26.95 x 23.80 (fwd) x 9.00 (aft) x 16.72 M		
5.3	Are vessel's holds clear and free of any obstructions?	YES		
5.4	Capacity, by hold, excluding wing/topside tanks but including hatchways:		Grain	Bale
		CBM	CFT	CFT
	Hold #1:	13009.86	459438.001	435755
	Hold #2:	15333.25	541487.590	516813
	Hold #3:	14553.08	513936.199	489260
	Hold #4:		541488.297	516812
	Hold #5:	13404.64	473359.160	448510
	Total:	71634.10	2529709.247	2407150
5.5			YES	
	If yes, state which holds may be left empty:		2 & 4	
	Is tanktop steel suitable for grab discharge?		YES	
5.8	State whether bulkhead corrugations are vertical or horizontal:		VERTICAL	
	Tanktop strength:		1, 3 & 5 = 25 MT, 2 & 4 = 2	0 MT
	Are holds CO2 fitted?		YES	
5.11	Are holds fitted with smoke detection system?		YES	
5.12	Is vessel fitted with Australian type approved holds ladders?		YES	
5.13	Has vessel a functioning class certified loadmaster/loadicator or similar calculator?		YES	
5.14	Are holds hoppered at:			
	Forward bulkhead?		NO	
	Aft bulkhead?		NO	
5.15	Can vessel's holds be described as box shaped?		NO	
5.16	Measurement of any tank slopes/hoppering:		NO.1: 5.659 X 5.667 M (F	WD)
5.10	(height and distance from vessel's side at tank top)	4.203 X 4.388 M (AFT)		
		NOS.2, 3 & 4: 4.203 X 4.388 M		
			NO.5: 4.203 X 4.388 (FW	/D)
		4.203 X 11.47 M (AFT)		)
5.17	Flat floor measurement of cargo holds at tank top: L x W	No.1: 27.80 x 10.65 (fwd) x 23.80 (aft) M No.2: 28.65 x 23.80 M No.3: 27.00 x 23.80 M No.4: 28.65 x 23.80 M No.5: 26.95 x 23.80 (fwd) x 9.00 (aft) M		
5.18	Are vessel's holds electrically ventilated?		NO	
	If yes, state number of air-changes per hour basis empty holds:		NA	
5.19	Type of hold paint:		MODIFIED EPOXY PAI	NT

5.2	Is vessel fitted for carriage of grain in accordance with chapter V1 of SOLAS 1974 and amendments without requiring bagging, strapping and securing when loading a full cargo (deadweight) of heavy grain in bulk (stowage factor 42 cu. Feet) with ends untrimmed?	YES		
5.21	Is the vessel fitted with A60 Steel Bulkhead?	YES		
Deck a	nd Hatches			
5.22	Number of hatches:	5		
5.23	Make and type of hatch covers:	TSS HAU HAI / ELECTRO HYDRAULIC FOLDING TYPE		
5.24	Hatch dimensions: (Length X Breadth)	No.1: 18.86 X 18.26 M No.2: 21.32 X 18.26 M No.3: 21.32 X 18.26 M No.4: 21.32 X 18.26 M No.5: 21.32 X 18.26 M		
5.25	Hatch span (distance from front of forward hatch#1 to aft of rear hatch#	5): 140.6 M		
5.26	Strength of hatch covers:	2.3 MT/CUM.		
5.27	Number, diameter and location of cement holes	2 HOLES PER HATCH - ONE AT NO.1 PANEL (P) AND OTHER AT NO.4 PANEL (S). DIA = 700 MM.		
5.28	Distance from ship's rail to near and far edge of hatch covers/coaming (Please advise the minimum width clear of any obstruction for each ho			
5.29	Distance from bow to fore of 1 <sup>st</sup> hold opening:	16.3 M		
5.3	Distance from stern to aft of last hold opening:	33.1 M		
5.31	State deck strength:	1.0 MT/CUM.		
Ballast				
	Capacity of ballast tanks (100%):	16333.64 M3		
5.33	Ballast holds capacity, state which hold(s):	14553.08 M3		
	Vessel's ballasting time / rate of ballasting / Vessel's deballasting time deballasting	e / rate of ABOUT 12 HOURS @ 1600 MT/HR WITH 2 PUMPS		
5.36	Unpumpable quantity:	ABOUT 200 MT		

6	6 CARGO GEAR (ONLY TO BE COMPLETED IF APPLICABLE)				
6.1	If geared state make and type:	IHI-WM / ELECTRO HYDRAULIC CRANES			
6.2	Number/location of derricks / cranes:	4 CRANES / CENTRELINE BETWEEN HATCHES			
6.3	Maximum outreach of gear beyond ships rail	11.85 M			
	Maximum outreach of gear beyond ships rail with maximum cargo lift on hook:	11.85 M			
6.5	If gantry cranes/horizontal slewing cranes - state minimum clearance distance cran- hook to top of hatch coaming:	e NA			
6.6	Time needed for full cycle with maximum cargo lift on hook:	ABT 2 MINS			
6.7	Hoisting time of gear: (Load / Metres Minutes) Hook Grab	30 MT - 20 M/MIN 18 MT - 30 M/MIN 6 MT - 60 M/MIN			
6.8	Luffing time of gear:	71 SECS FROM 20 - 81 DEGS			
6.9	Slewing time of gear:	0.4 RPM			
6.1	Is gear combinable for heavy lift?	NO			
6.11	Are winches electro-hydraulic?	YES			
6.12	If vessel has grabs on board - state:	YES			

	Туре:		ELECTRO HYDRAULIC R	EMOTE GRABS
		Weight:	8890 KG	S
		Lifting Capacity:	5.3 - 12.5 M3 / SW	/L 15000KG
		Power source of grabs:	440 V	60 HZ
		Location of power source:	CRANE HO	USE
6.13	Does vessel have enough power to run 4 cranes and not pls state how many?	d 4 shore grabs (if applicable). If	YES	
6.14	s vessel fitted with sufficient lights at each hatch for night work?		ork? YES	
6.15	5 Is vessel logs fitted?		NO	
	If yes, state number, type and height of stanchions/s	ockets, if on board:	NA	
6.16	Is vessel log racks fitted?		NO	
6.17	Timber Loadline (if applicable)	Deadweight	Draft	TPC
	Summer:			
	Winter:			
	Winter North Atlantic:		ΝΙΛ	
	Fresh water:			
	Tropical:			
	Tropical fresh water:			

7		
7.1	Capacity in direct stow of TEU/FEU basis empty tanks:	
	Capacity in direct stow of TEU/FEU basis full tanks:	
7.2	Are all containers within reach of vessel's gear?	
	If no, state self sustained capacity:	
	H vesser filled with all permanent and loose fillings/lashing materials for above-	
<del>7.5</del>	is vesser littled with recessed holes/shoes on tanktop and container shoes on- weatherdeck and batch covers?	
<del>7.6</del>	Advise stack weights and number of tiers on/under deck per TEU:	
	Advise stack weights and number of tiers on/under deck per FEU:	
7.7	Has vessel a container spreader on board?	
7.8	Number and type of reefer plugs:	

8	ENGINE ROOM, SPEED AND CONSUMPTION			
8.1	Is vessel fitted with a shaft generator?		NC	)
Engine	Room			
8.2	Engine make/model and type:		STX-MAN B & W	V 6S50MC-C7
8.3	BHP / RPM of main engine at MCR:	100%	12900	127
8.4	BHP / RPM of main engine at NCR (as % of MCR):	85%	9030	115.4
8.5	GENERATORS :		3	
Fuel				
8.5	What type/viscosity of fuel is used for main propulsion:		RMG 380 CST SPECS : ISO 8217 201 VLSFO (Sulphur< 0.5%) + In ECA are ISO 8217 2017, LSMGO (Sulphur < 0.	
	Capacity (100%) of main engine bunker tanks (excluding unpum	pables):	1,860 MT /	278 MT
8.6	What type/viscosity of fuel is used in the generating plant:		RMG 380 CST SPECS : ISO 8217 2017 VLSFO (Sulphur< 0.5%) + In ECA area, DM ISO 8217 2017, LSMGO (Sulphur < 0.1%)	

	Capacity (100%) of aux engine(s) bunker tanks (excluding unpumpables):		1,860 MT / 278 MT	
Speed				
8.7	Ballast:	ABT		
	Laden:	ABT	Asper vessel description	
Consu	mptions			
8.8	Passage		Main	Aux
	Ballast:	ABT		
	Laden:	ABT		
8.9	In Port		As per vessel description	
	Working:			
	Idle:			
	Other (specify): Vsl burns extra IFO/MDO when grabs are operating	ABT		

9	MISCELLANEOUS	
Comm	unications and Electronics	
9.1	Call sign:	HSCK
9.2	Vessel's INMARSAT – C number:	456700453
9.3	Vessel's telephone number:	+66-600-035-069
9.4	Vessel's fax number:	N/A
9.5	Vessel's email address:	vessel@preciousshipping.com SUBJECT: M.V. KANCHANA NAREE
9.6	Vessel's MMSI No. (Maritime Mobile Selective call Identity Code):	567438000
9.7	Vessel's onboard electrical supply (V / Hz):	220 V / 440 V / 60 HZ
Consta	nts/Fresh Water	-
9.8	Constants excluding fresh water:	ABT 350 MT
9.9	Daily freshwater consumption:	ABT 7 MT
9.1	Fresh water capacity:	465 MT
9.11	State daily production of evaporator:	16 MT
9.12	Normal fresh water reserve:	200 MT
nsurar	nce	
9.13	P & I Club - Full style:	UK P&I CLUB
9.14	P & I Club coverage:	AS PER P&I RULES
9.15	Where is the owners hull and machinery placed:	THE SWEDISH CLUB
9.16	Hull & Machinery insured value:	AS PER VESSEL DESCRIPTION
/etting		
9.17	Is the vessel RIGHTSHIP approved:	YES
9.18	Date/Place of last RIGHTSHIP Inspection:	20-AUG-2018 / SAN LORENZO, ARGENTINA
Port St	ate Control	
9.19	Date and place of last Port State Control inspection:	03/05/24 AT XIAMEN(ASIA PACIFIC MOU
9.2	Has the vessel been detained by Port State Control in the last 12 months?	YES AT XIAMEN, CHINA

	Any outstanding deficiencies as reported by any Port State Control. If yes, provide details:	NO
9.21	Any Australian Maritime Safety Authority (AMSA) detentions or noted deficiencies. If so, please advise details and specify when/where these items were repaired.	YES, 20-APRIL-2017, KWINANA

10	SUPPLEMENTARY INFORMATION FOR SPECIFIC COMMODITIES/TRADES			
10	VESSEL'S EMAIL ADDRESS: kanchananaree@speedmailplus.com phone:+881677102506	/ V-SAT Tel: +66600035069 / Irridium		

2008 (BalticExchange.com / <u>Baltic99.com</u>)