	BT, WOG AND GIVEN IN GOOD FAITH			
	GENERAL INFORMATION			
	Date updated:)-Jun-2024
	Vessel's name:			TIKA NAREE
	IMO number:			9496941
				N/A
	Flag:			HAILAND
	Port of Registry:			ANGKOK
	Type of vessel:			LOG CARRIER
	Type of hull:		SI	NGLE HULL
Ownership	and Operation			
1.9	Registered owner - Full style:		PRECIOUS LAKES LIMIT 8/27-28, 7th Floor, Cathay Silom, Bangrak, Bangkok	House, North Sathorn Road,
1.1	Parent company/group to which the owner belongs - Full style:			JBLIC COMPANY LIMITED House, North Sathorn Road, 10500 Thailand
1.11	Technical operator - Full style:			ency Ltd, 10th FL, Cathay House angkok, Thailand, 10500, TEL: 6
1.12	Commercial operator - Full style:		PRECIOUS SHIPPING PUBLIC COMPANY LIMITE 8/27-28, 7th Floor, Cathay House, North Sathorn Roa Silom, Bangrak, Bangkok, 10500 Thailand	
1.13	Disponent owner - Full style:		DAMPSKIBSSELSKABET NORDEN A/S 52, STRANDVEJEN DK-2900 HELLERUP DENMARK	
1.14	Does disponent owner have vessel on time charter or bareboat:		TIM	E CHARTER
	Since when vessel has been under Disponent owner:			-Jan-2023
	Number of vessels in disponent owner's fleet:			N/A
uilder	Training of Tradesia in dispariant annial a neat.			1011
	Builder (where built) / Yard number:		Jiangsu Yangzijiang shipbuilding Co., Ltd	N/A
1.18	Date delivered (built):		19)-Nov-2012
lassification				
	Classification society:		BV (BU	REAU VERITAS)
				NO. 20441V I40
	If Classification society changed, name of previous society:		OLAGO	A1//A
				N/A N/A
1.22	Date and place of last dry dock:		5-Jan-2023	SHANHAIGUAN SHIPYARE
1 24	Date next dry dock is due:		18	3-Nov-2027
	Date of last special survey / next survey due:		05-Jan-2023/ QINHUANGDAO	18-Nov-2027
1.26	Date of last annual survey / next survey due:		13-09-2023/ Taipei, Taiwan	12-Sep-2024
1.27	Is vessel entered in classification approved enhanced survey program?			YES
	**	puble bottom tank atool atmature?		YES
1.∠8	Does vessel comply with IACS unified requirements regarding number 1 cargo hold and do	Duble bottom tank steel structure?		
	Has this compliance been verified by the classification society?			YES
mensions				
1.29				181 M.
1.3	Length Between Perpendiculars (LBP):			172 M.
1.31				30 M.
1.32	Moulded depth:			14.6 M.
1.33	Keel to Masthead (KTM) / KTM in collapsed condition (if applicable):			30.8 M.
1.34	Distance from waterline to top of hatch coamings or	No1. Hatch	Midships	Last Hatch
	top of hatch covers if side-rolling hatches			
	Ballast condition:			

(ba	allast holds	not flooded, basis 50% bunkers)	J		11.82 M.	11.1	7 M.	10.56 M.
	ull ballast co	ondition: : flooded, basis 50% bunkers)			9.92 M.	9.6	0 M.	9.29 M.
Fu	ully laden co	ondition:			15.43 M.	15.4	13 M.	1334 M.
	istance fron atches):	n keel to top of hatch coamings (or top of hatch cove	rs if side-rolling		16.4 M.	16.	4 M.	16.4 M.
Tonnages	atoricoj.							
		ge (GT) / Net Registered Tonnage (NRT):					641	11230
		Fonnage – Gross (SCGT) / Net (SCNT):				232	35.44	20053.09
1.38 Pa		al Net Tonnage (PCNT):						18868
1.39 Lo					Deadweight	D	raft	TPC
	ummer:				33869.239		316	48.4
	/inter:				32881.404		612	48.2
W	/inter North	Atlantic:			-		-	-
Fr	resh water:				33870.636	10.	037	48.5
Tro	ropical:				34860.089	10	.02	48.5
	ropical fresh				34840.207	10.	241	48.7
	ull Ballast c				13294.3	5.	43	
		not flooded, basis 50% bunkers) (about)						0015 171
	ightship: Dra WA at sumi	· · · · · · · · · · · · · · · · · · ·				2.3	304	9015.171 221 MM
	PC on sum							48.4
Is vessel fitted		drait						.0.4
		nama Canal?						YES
		leadweight all told on 39ft 6in / 12.039m (SG 0.9954)):					N/A
If y	yes, is Pan	ama deadweight all told affected by vessel's bilge tur	rn radius?					N/A
1.41 Tra	ransit of Su	ez Canal?						YES
		Lawrence Seaway?						NO
If y Recent Operat		leadweight all told on 26ft / 7.92m fresh water:						N/A
1.43 giv	Has vessel been involved in a pollution, grounding, serious casualty or collision incident during the past 12 months? If yes, give details: 44 Voyage History				Grounding: NONE Casualty: NONE Collision: NONE			
	Voy#	Charterer		Carg	10			
1s	st.	DAMPSKIBSSELSKABET NORDEN A/S		CORN IN	BULK		Discharge -	ng - Topolobampo, Mexico PUERTO PROGRESO, MAXICO DATZACOALCOS, MAXICO
2 ⁿ	nd _.	Cobelfret NV	cor	RN AND WH	EAT IN BULK		Discha	PUNTA ALVEAR, ARGENTINA arge - PUERTO QUETZAL, GUATEMALA
3 ^{rc}	rd.	DAMPSKIBSSELSKABET NORDEN A/S		SULPHUR	IN BULK			GALVESTON, BEAUMONT , US charge - SANTO, BRAZIL
4 th	th :	DAMPSKIBSSELSKABET NORDEN A/S		ALUMINA I	N BULK			ı - VILA DO CONDE, BRAZIL arge - CHARLESTON, USA
5 th	th.	DAMPSKIBSSELSKABET NORDEN A/S		WHEAT IN	N BULK			SAN LORENZO, ARGENTINA - OUTEIRO,MANAUS,BELEM, BRAZIL
1.45 Sp	pecify the s	ecurity level at which the ship is currently operating (ISSC):					1

2 CERTIFICATION	Issued	Last Annual	Expires
2.1 Safety Equipment Certificate:	BUREAU VERITAS / 05-01-2023	13-Sep-2023	18-Nov-2027

2.2 Safety Radio Certificate:	BUREAU VERITAS / 05-01-2023	13-Sep-2023	18-Nov-2027
2.3 Safety Construction Certificate:	BUREAU VERITAS / 05-01-2023	13-Sep-2023	18-Nov-2027
2.4 Loadline Certificate:	BUREAU VERITAS / 05-01-2023	13-Sep-2023	18-Nov-2027
2.5 Safety Management Certificate (SMC):	NIPPON KAIJI KYOKAI / 07-01-2023	N/A	10-Apr-2028
2.6 Document of Compliance (DOC):	NIPPON KAIJI KYOKAI / 4-Nov-2020	9-Oct-2023	19-Nov-2025
2.7 Cargo Gear survey:	BUREAU VERITAS	5-Jan-2023	5-Jan-2024
2.8 Cargo securing manual:	BUREAU VERITAS	N/A	N/A
2.9 International Oil Pollution Prevention Certificate (IOPPC):	BUREAU VERITAS / 07-Sep-2017	13-Sep-2023	18-Nov-2027
2.1 Ship Sanitation Control (SSCC) / Ship Sanitation Control Exemption (SSCE) Certificate	Puerto Quetzal, GUATEMALA / 16.06.2024	N/A	16-Dec-2024
2.11 USCG COFR:	NATIONAL POLLUTION FUNDS CENTER	11-Nov-2021	11-Nov-2024
2.12 International Ship Security Certificate (ISSC):	NIPPON KAIJI KYOKAI / 07-MAR-2023	N/A	10-Apr-2028

3 CREW MANAGEMENT	
3.1 Number of Officers: (including Master)	12
3.2 Number of crew:	10
3.3 Name and nationality of Master:	CAPT. WOOTHTICHAI BOONTANOM / THAI
3.4 Nationality of Officers:	THAI
3.5 Nationality of crew:	THAI
3.6 What is the common working language onboard:	ENGLISH
3.7 Do officers speak and understand English?	YES

4	SAFETY MANAGEMENT		
4.1	Is the vessel ISM certified?		YES
4.2	Document of Compliance (DOC) certificate number / issuing authority:	20TB-M0076THADOC	NIPPON KAIJI KYOKAI
4.3	Safety Management (SMC) certificate number / issuing authority:	23LN-M0004SMC	NIPPON KAIJI KYOKAI
	State outstanding recommendations, if any:	NONE	
4.4	is the vessel operated under a Quality Management System?		YES
	If Yes, what type of system (ISO9002 or IMO Resolution A.741(18)):		

5	CARGO ARRANGEMENTS		
Holds			
5.1	Number of holds:	5	
5.2	Hold dimensions: L x B x H	HOLD#1: L: 26.40 M/B:(FWD: 4.90M, HOLD#2: L: 23.95 M/B:(FWD: 22.20M, HOLD#3: L: 23.90 M/B: 23.20 M/H: 13 HOLD#4: L: 23.90 M/B: 23.20 M/H: 13 HOLD#5: L: 26.30 M/B(FWD: 23.20 M.	., AFT: 23.20M./ H: 13.0 M. .0 M. .0 M.
5.3	Are vessel's holds clear and free of any obstructions?	YES	3
5.4	Capacity, by hold, excluding wing/topside tanks but including hatchways:	Grain	Bale
	Hold #1:	8236.00	7764.80
	Hold #2:	9803.90	9264.90
	Hold #3:	9819.60	9249.60
	Hold #4:	9819.60	9267.00
	Hold #5:	9363.10	8888.90
	Total:	47042.20	44435.20
5.5	Is vessel strengthened for the carriage of heavy cargoes?	YES	6
5.6	If yes, state which holds may be left empty:	HOLD N	O.2&4
5.7	Is tanktop steel suitable for grab discharge?	YES	8
5.8	State whether bulkhead corrugations are vertical or horizontal:	CORRUGATIONS VER	RTICAL BULKHEAD
	Tanktop strength:	25.0 M	T/M2
	Are holds CO2 fitted?	YES	
	Are holds fitted with smoke detection system?	YES	
5.12	is vessel fitted with Australian type approved holds ladders?	YES	8
5.13	Has vessel a functioning class certified loadmaster/loadicator or similar calculator?	YES	
5.14	Are holds hoppered at:		
	Forward bulkhead?	YES (CORRUGATION BUI	LKHEAD IN HOLD 2,3,4)
	Aft bulkhead?	YES (CORRUGATION BUL	KHEAD IN HOLD 1,2,3,4)
5.15	Can vessel's holds be described as box shaped?	N/A	
5.16	Measurement of any tank slopes/hoppering: (height and distance from vessel's side at tank top)	PLEASE SEE A	ATTACH FILE

	Flat floor measurement of cargo holds at tank top: L x W Are vessel's holds electrically ventilated? If yes, state number of air-changes per hour basis empty holds:	НС	OLD#1: L: 26.40 M./ B:(FWD: 4.90M, AFT 21.70 M. OLD#2: L: 23.95 M./ B:(FWD: 22.20M., AFT: 23.20M. HOLD#3: L: 23.90 M./ B: 23.20 M. HOLD#4: L: 23.90 M./ B: 23.20 M. OLD#5: L: 26.30 M./ B(FWD: 23.20 M., AFT: 10.0M.) YES 6 AIR CHANGES PER HOURS
5.19	Type of hold paint:		JOTAPRIME RED
5.2	Is vessel fitted for carriage of grain in accordance with chapter V1 of SOLAS 1974 and amendments without requiring bagging, strapping and securing when loading a full cargo (deadweight) of heavy grain in bulk (stowage factor 42 cu. Feet) with ends untrimmed?	YES	
5.21	Is the vessel fitted with A60 Steel Bulkhead?		YES
Deck and H	atches		
5.22	Number of hatches:		5 NOS.
5.23	Make and type of hatch covers:		MACGREGOR / ELECTRO HYDRAULIC FOLDING TYPE
5.24	5.24 Hatch dimensions: (Length X Breadth)		HATCH #1: 16.80 X 15.00 M. HATCH #2-5: 19.20 X 19.20 M.
5.25	Hatch span (distance from front of forward hatch#1 to aft of rear hatch#5):		122.4 Mtrs
5.26	Strength of hatch covers:		3 MT/M2
5.27	Number, diameter and location of cement holes		4 Holes/Hatch,DIA:600mm ,2 x fwd and 2 x aft
5.28	Distance from ship's rail to near and far edge of hatch covers/coaming near and far (Please advise the minimum widt any obstruction for each hold):	h clear of	(PLEASE SEE ATTACH FILE OF MAIN DK. FREE SPACE)
5.29	Distance from bow to fore of 1 st hold opening:		19.1 M.
5.3	Distance from stern to aft of last hold opening:		38.8 M
5.31	State deck strength:		3.5 MT/M2
Ballast			
5.32	Capacity of ballast tanks (100%):		10848.1 M3
5.33	Ballast holds capacity, state which hold(s):		CARGO HOLD NO.3: 9819.60 M3
5.34 5.35	Vessel's ballasting time / rate of ballasting / Vessel's deballasting time / rate of deballasting		MAX 1200 M3./HR WITH 2 PUMPS.
5.36	5.36 Unpumpable quantity:		120 MT

6	CARGO GEAR (ONLY TO BE COMPLETED IF APPLICABLE)			
6.1	If geared state make and type:		MACGREGOF	R / GLB3025-2/2425 gr
6.2	.2 Number/location of derricks-/ cranes:		4 NOS OF C	RANES/ SWL 30 MT
6.3	Maximum outreach of gear beyond ships rail		10 METERS. (When in	line with each crane position
6.4	Maximum outreach of gear beyond ships rail with maximum cargo lift on hook:		10	METERS.
6.5	If gantry cranes/horizontal slewing cranes - state minimum clearance distance crane hook t	to top of hatch coaming:		N/A
6.6	Time needed for full cycle with maximum cargo lift on hook:		ABC	OUT 2 MINS.
6.7	Hoisting time of gear: (Load / Metres Minutes) Hook Grab		2	5 m/ min
6.8	Luffing time of gear:			60 sec
6.9	Slewing time of gear:		1	rev / min
6.1	Is gear combinable for heavy lift?			NO
6.11	Are winches electro-hydraulic?			YES
6.12	If vessel has grabs on board - state:			N/A
		Туре:		
		Weight:		
		Lifting Capacity:		
		Power source of grabs:		
		Location of power source:		
6.13	Does vessel have enough power to run 4 cranes and 4 shore grabs (if applicable). If not place	s state how many?		YES
6.14	Is vessel fitted with sufficient lights at each hatch for night work?		YES, Portable lights	s sufficient rig for each hold.
6.15	Is vessel logs fitted?			YES
	If yes, state number, type and height of stanchions/sockets, if on board:		COLLAPSIBLE STANCHION 74 NOS. / - FIXED STANCHION 12 NOS.	
6.16	Is vessel log racks fitted?			YES
6.17	Timber Loadline (if applicable)	Deadweight	Draft	TPC
	Summer:	35327.325	10.116	48.6
	Winter:	33961.416	9.835	48.4
	Winter North Atlantic:	-	-	•
	Fresh water:	36439.319	10.344	48.7
	Tropical:	36351.416	10.326	48.7

	Tropical fresh water:	37466.316	10.554	48.9
7				
7.1	Capacity in direct stow of TEU/FEU basis empty tanks:			
	Capacity in direct stow of TEU/FEU basis full tanks:			
	Are all containers within reach of vessel's gear?			
7.3	If no, state self sustained capacity:			
7.4	If vessel fitted with all permanent and loose fittings/lashing materials for above number of T	EU/FEU?		
7.5	Is vessel fitted with recessed holes/shoes on tanktop and container shoes on weatherdeck	and hatch covers?		
	· · · · · · · · · · · · · · · · · · ·	and naton covers:		
7.6	Advise stack weights and number of tiers on/under deck per TEU:			
	Advise stack weights and number of tiers on/under deck per FEU:			
7.7				
/.8	Number and type of reefer plugs:			
	ENGINE ROOM, SPEED AND CONSUMPTION			
8.1				NO
Engine Roc				NO
	Engine make/model and type:		HHM - MAN	B & W 6S42 MC 7
	BHP / RPM of main engine at MCR:	100%	6480 KW	136 RPM.
	BHP / RPM of main engine at NCR (as % of MCR):		5508 KW	119 RPM
8.4	BHP / RPM OF Main engine at NCR (as % OF MCR):	85%	2208 KVV	TT9 KPM
8.5	GENERATORS:		3 Nos of Aux engine / 7	HENJIANG CME MAN 5L23/30H
5.5			2 1100 01 7 tax origine / Z	
Fuel				
0.5	Miles benediction of final in used for main annual size.			SO 8217 2017 VLSFO (Sulphur<
8.5	What type/viscosity of fuel is used for main propulsion:		0.5%) + In ECA area, DM/ (Sulphur < 0.1%)	A ISO 8217 2017, LSMGO
				LSGO = 310 M3(Excluding
	Capacity (100%) of main engine bunker tanks (excluding unpumpables):			tt,serv.tank)
			RMG 380 CST SPECS : ISO 8217 2017 VLSFO (Sulphur<	
8.6	What type/viscosity of fuel is used in the generating plant:			A ISO 8217 2017, LSMGO
			(Sulphur < 0.1%)	
	Capacity (100%) of aux engine(s) bunker tanks (excluding unpumpables):			LSGO = 310 M3(Excluding
			set	t,serv.tank)
Speed				
•	Ballast:		AS PER VES	SSEL DESCRIPTION
8.7	Laden:		AS PER VES	SSEL DESCRIPTION
8.7	Laden: ons			
8.7	Laden: ons Passage		AS PER VES	SSEL DESCRIPTION Aux
8.7	Laden: ons Passage Ballast:			
8.7 Consumption	Laden: ons Passage Ballast: Laden:			
8.7 Consumption	Laden: ons Passage Ballast: Laden: In Port		Main	Aux
8.7 Consumption	Laden: ons Passage Ballast: Laden: In Port Working:		Main	
8.7 Consumption	Laden: ons Passage Ballast: Laden: In Port		Main	Aux
8.7 Consumption	Laden: ons Passage Ballast: Laden: In Port Working:	ABT: IFO 0.50 MT	Main	Aux
8.7 Consumption	Laden: ons Passage Ballast: Laden: In Port Working: Idle:	ABT: IFO 0.50 MT	Main	Aux
8.7 Consumpti 8.8	Laden: ons Passage Ballast: Laden: In Port Working: Idle:	ABT: IFO 0.50 MT	Main	Aux
8.7 Consumpti 8.8 8.9	Laden: Passage Ballast: Laden: In Port Working: Idle: Other (specify): Vsl burns extra IFO/MDO when grabs are operating / BOILER Operation	ABT: IFO 0.50 MT	Main	Aux
8.7 Consumpti 8.8 8.9 9 Communication	Laden: Passage Ballast: Laden: In Port Working: Idle: Other (specify): Vsl burns extra IFO/MDO when grabs are operating / BOILER Operation	ABT: IFO 0.50 MT	Main	Aux
8.7 Consumpti 8.8 8.9 9 Communica 9.1	Laden: Passage Ballast: Laden: In Port Working: Idle: Other (specify): Vsl burns extra IFO/MDO when grabs are operating / BOILER Operation MISCELLANEOUS ations and Electronics	ABT: IFO 0.50 MT	Main AS PER VES	Aux SSEL DESCRIPTION
8.7 Consumpti 8.8 8.9 9 Communica 9.1	Laden: ons Passage Ballast: Laden: In Port Working: Idle: Other (specify): Vsl burns extra IFO/MDO when grabs are operating / BOILER Operation MISCELLANEOUS ations and Electronics Call sign:	ABT: IFO 0.50 MT	Main AS PER VES SAT-C	Aux SSEL DESCRIPTION HSJL NO: 456700550
8.7 Consumpti 8.8 8.9 Communici 9.1 9.2	Laden: ons Passage Ballast: Laden: In Port Working: Idle: Other (specify): Vsl burns extra IFO/MDO when grabs are operating / BOILER Operation MISCELLANEOUS ations and Electronics Call sign:	ABT: IFO 0.50 MT	Main AS PER VES SAT-C VSAT TEL: +662 844 950 Tel: +88 1677 106 202 (if	Aux SSEL DESCRIPTION HSJL NO: 456700550 Iridium calling from Land Line) Iridium
8.7 Consumpti 8.8 8.9 9 Communici 9.1 9.2	Laden: ons Passage Ballast: Laden: In Port Working: Idle: Other (specify): Vsl burns extra IFO/MDO when grabs are operating / BOILER Operation MISCELLANEOUS ations and Electronics Call sign: Vessel's INMARSAT – C number:	ABT: IFO 0.50 MT	Main AS PER VES SAT-C VSAT TEL: +662 844 950 Tel: +88 1677 106 202 (if	Aux SSEL DESCRIPTION HSJL NO: 456700550
8.7 Consumpti 8.8 8.9 Communici 9.1 9.2	Laden: Passage Ballast: Laden: In Port Working: Idle: Other (specify): Vsl burns extra IFO/MDO when grabs are operating / BOILER Operation MISCELLANEOUS ations and Electronics Call sign: Vessel's INMARSAT – C number: Vessel's telephone number:	ABT: IFO 0.50 MT	Main AS PER VES SAT-C VSAT TEL: +662 844 950 Tel: +88 1677 106 202 (if	Aux SSEL DESCRIPTION HSJL NO: 456700550 Iridium calling from Land Line) Iridium
8.7 Consumpti 8.8 8.9 Communica 9.1 9.2 9.3	Laden: Passage Ballast: Laden: In Port Working: Idle: Other (specify): Vsl burns extra IFO/MDO when grabs are operating / BOILER Operation MISCELLANEOUS ations and Electronics Call sign: Vessel's INMARSAT – C number: Vessel's telephone number:	ABT: IFO 0.50 MT	Main AS PER VES SAT-C VSAT TEL: +662 844 950 Tel: +88 1677 106 202 (if- Tel: (001) 88 1677 106 20	Aux SSEL DESCRIPTION HSJL NO: 456700550 100 Iridium calling from Land Line) Iridium 2 (if calling from mobile phone)
8.7 Consumpti 8.8 8.9 Communica 9.1 9.2 9.3	Laden: Passage Ballast: Laden: In Port Working: Idle: Other (specify): Vsl burns extra IFO/MDO when grabs are operating / BOILER Operation MISCELLANEOUS ations and Electronics Call sign: Vessel's INMARSAT – C number: Vessel's telephone number:	ABT: IFO 0.50 MT	Main AS PER VES SAT-C VSAT TEL: +662 844 950 Tel: +88 1677 106 202 (if- Tel: (001) 88 1677 106 20	Aux SSEL DESCRIPTION HSJL NO: 456700550 Iridium calling from Land Line) Iridium
8.7 Consumpti 8.8 8.9 9 Communic: 9.1 9.2 9.3 9.4 9.5	Laden: Passage Ballast: Laden: In Port Working: Idle: Other (specify): Vsl burns extra IFO/MDO when grabs are operating / BOILER Operation MISCELLANEOUS ations and Electronics Call sign: Vessel's INMARSAT – C number: Vessel's telephone number: Vessel's fax number: Vessel's email address:	ABT: IFO 0.50 MT	SAT-C VSAT TEL: +662 844 950 Tel: +88 1677 106 202 (if Tel: (001) 88 1677 106 20	Aux SSEL DESCRIPTION HSJL NO: 456700550 Iridium calling from Land Line) Iridium 2 (if calling from mobile phone)
9 Comsumpti 8.8 8.9 9 Communic 9.1 9.2 9.3 9.4 9.5	Laden: Passage Ballast: Laden: In Port Working: Idle: Other (specify): Vsl burns extra IFO/MDO when grabs are operating / BOILER Operation MISCELLANEOUS ations and Electronics Call sign: Vessel's INMARSAT – C number: Vessel's telephone number: Vessel's fax number: Vessel's fax number: Vessel's mission in the properties of the pr	ABT: IFO 0.50 MT	SAT-C VSAT TEL: +662 844 956 Tel: +88 1677 106 202 (if Tel: (001) 88 1677 106 20 latikanaree@	Aux SSEL DESCRIPTION HSJL NO: 456700550 Iridium calling from Land Line) Iridium 2 (if calling from mobile phone) Sepeedmailplus.com 67049000
9.1 9.2 9.3 9.4 9.5 9.6	Laden: Passage Ballast: Laden: In Port Working: Idle: Other (specify): Vsl burns extra IFO/MDO when grabs are operating / BOILER Operation MISCELLANEOUS ations and Electronics Call sign: Vessel's INMARSAT – C number: Vessel's telephone number: Vessel's fax number: Vessel's email address: Vessel's email address: Vessel's onboard electrical supply (V / Hz):	ABT: IFO 0.50 MT	SAT-C VSAT TEL: +662 844 956 Tel: +88 1677 106 202 (if Tel: (001) 88 1677 106 20 latikanaree@	Aux SSEL DESCRIPTION HSJL NO: 456700550 Iridium calling from Land Line) Iridium 2 (if calling from mobile phone)
9 Comsumpti 8.8 8.9 9 Communica 9.1 9.2 9.3 9.4 9.5 9.6 9.7 Constants//	Laden: Passage Ballast: Laden: In Port Working: Idle: Other (specify): Vsl burns extra IFO/MDO when grabs are operating / BOILER Operation MISCELLANEOUS ations and Electronics Call sign: Vessel's INMARSAT – C number: Vessel's telephone number: Vessel's fax number: Vessel's email address: Vessel's mMSI No. (Maritime Mobile Selective call Identity Code): Vessel's onboard electrical supply (V / Hz): Fresh Water	ABT: IFO 0.50 MT	SAT-C VSAT TEL: +662 844 950 Tel: +88 1677 106 202 (if Tel: (001) 88 1677 106 20 latikanaree@	Aux Aux Aux Aux Aux Aux Aux Aux
99 Communica 9.1 9.2 9.3 9.4 9.5 9.6 9.7 Constants//	Laden: Passage Ballast: Laden: In Port Working: Idle: Other (specify): Vsl burns extra IFO/MDO when grabs are operating / BOILER Operation MISCELLANEOUS ations and Electronics Call sign: Vessel's INMARSAT – C number: Vessel's telephone number: Vessel's telephone number: Vessel's email address: Vessel's email address: Vessel's onboard electrical supply (V / Hz): Fresh Water Constants excluding fresh water:	ABT: IFO 0.50 MT	SAT-C VSAT TEL: +662 844 950 Tel: +88 1677 106 202 (if- Tel: (001) 88 1677 106 20 latikanaree@	Aux Aux Aux Aux Aux Aux Aux Aux
9.5 9.6 9.7 Constants// 9.8 9.9 9.9 9.9 9.9 9.9 9.9 9.9 9.9 9.9	Laden: Passage Ballast: Laden: In Port Working: Idle: Other (specify): Vsl burns extra IFO/MDO when grabs are operating / BOILER Operation MISCELLANEOUS ations and Electronics Call sign: Vessel's INMARSAT – C number: Vessel's telephone number: Vessel's telephone number: Vessel's email address: Vessel's email address: Vessel's onboard electrical supply (V / Hz): Fresh Water Constants excluding fresh water: Daily freshwater consumption:	ABT: IFO 0.50 MT	SAT-C VSAT TEL: +662 844 950 Tel: +88 1677 106 202 (if Tel: (001) 88 1677 106 20 latikanaree@	Aux Aux Aux Aux Aux Aux Aux Aux
9.5 9.6 9.7 Constants// 9.8 9.9 9.9 9.9 9.9 9.9 9.9	Laden: Passage Ballast: Laden: In Port Working: Idle: Other (specify): Vsl burns extra IFO/MDO when grabs are operating / BOILER Operation MISCELLANEOUS ations and Electronics Call sign: Vessel's INMARSAT – C number: Vessel's telephone number: Vessel's telephone number: Vessel's email address: Vessel's email address: Vessel's onboard electrical supply (V / Hz): Fresh Water Constants excluding fresh water: Daily freshwater consumption: Fresh water capacity:	ABT: IFO 0.50 MT	SAT-C VSAT TEL: +662 844 950 Tel: +88 1677 106 202 (if Tel: (001) 88 1677 106 20 latikanaree@	Aux Aux Aux Aux Aux Aux Aux Aux
99 Communici 9.1 9.5 9.6 9.7 Constants/ 9.8 9.9 9.1 9.11	Laden: Passage Ballast: Laden: In Port Working: Idle: Other (specify): Vsl burns extra IFO/MDO when grabs are operating / BOILER Operation MISCELLANEOUS ations and Electronics Call sign: Vessel's INMARSAT – C number: Vessel's telephone number: Vessel's telephone number: Vessel's email address: Vessel's email address: Vessel's onboard electrical supply (V / Hz): Fresh Water Constants excluding fresh water: Daily freshwater consumption: Fresh water capacity: State daily production of evaporator:	ABT: IFO 0.50 MT	SAT-C VSAT TEL: +662 844 950 Tel: +88 1677 106 202 (if Tel: (001) 88 1677 106 20 latikanaree@ 5 220 V./ 60 H ABOUT 3 ABOUT	Aux Aux Aux Aux Aux Aux Aux Aux
9.5 Consumpti 8.8 8.9 9 Communici 9.1 9.2 9.3 9.4 9.5 9.6 9.7 Constants/ 9.8 9.9 9.11 9.12	Laden: Passage Ballast: Laden: In Port Working: Idle: Other (specify): Vsl burns extra IFO/MDO when grabs are operating / BOILER Operation MISCELLANEOUS ations and Electronics Call sign: Vessel's INMARSAT – C number: Vessel's telephone number: Vessel's telephone number: Vessel's email address: Vessel's email address: Vessel's onboard electrical supply (V / Hz): Fresh Water Constants excluding fresh water: Daily freshwater consumption: Fresh water capacity:	ABT: IFO 0.50 MT	SAT-C VSAT TEL: +662 844 950 Tel: +88 1677 106 202 (if Tel: (001) 88 1677 106 20 latikanaree@ 5 220 V./ 60 H ABOUT 3 ABOUT	Aux Aux Aux Aux Aux Aux Aux Aux
8.7 Consumpti 8.8 8.9 Communic: 9.1 9.2 9.3 9.4 9.5 9.6 9.7 Constants/ 9.8 9.9 9.11 9.12 Insurance	Laden: Passage Ballast: Laden: In Port Working: Idle: Other (specify): Vsl burns extra IFO/MDO when grabs are operating / BOILER Operation MISCELLANEOUS ations and Electronics Call sign: Vessel's INMARSAT – C number: Vessel's telephone number: Vessel's telephone number: Vessel's email address: Vessel's email address: Vessel's onboard electrical supply (V / Hz): Fresh Water Constants excluding fresh water: Daily freshwater consumption: Fresh water capacity: State daily production of evaporator: Normal fresh water reserve:	ABT: IFO 0.50 MT	SAT-C VSAT TEL: +662 844 950 Tel: +88 1677 106 202 (if- Tel: (001) 88 1677 106 20 latikanaree@ 5 220 V./ 60 H ABOUT 3 ABOUT	Aux Aux Aux Aux Aux Aux Aux Aux
9.1 9.2 9.3 9.4 9.5 9.6 9.7 Constants/ 9.11 9.12 Insurance 9.13	Laden: Passage Ballast: Laden: In Port Working: Idle: Other (specify): Vsl burns extra IFO/MDO when grabs are operating / BOILER Operation MISCELLANEOUS ations and Electronics Call sign: Vessel's INMARSAT – C number: Vessel's telephone number: Vessel's telephone number: Vessel's email address: Vessel's email address: Vessel's onboard electrical supply (V / Hz): Fresh Water Constants excluding fresh water: Daily freshwater consumption: Fresh water capacity: State daily production of evaporator:	ABT: IFO 0.50 MT	SAT-C VSAT TEL: +662 844 950 Tel: +88 1677 106 202 (if- Tel: (001) 88 1677 106 20 latikanaree@ 5 220 V./ 60 H	Aux Aux Aux Aux Aux Aux Aux Aux

9.16	Hull & Machinery insured value:	AS PER VESSEL DESCRIPTION
Vetting		
9.17	Is the vessel RIGHTSHIP approved:	YES
9.18	Date/Place of last RIGHTSHIP Inspection:	N/A
Port State	Control	
9.19	Date and place of last Port State Control inspection:	Puerto Quetzal, GUATEMALA /19.06.2024
9.2	Has the vessel been detained by Port State Control in the last 12 months?	NO
	Any outstanding deficiencies as reported by any Port State Control. If yes, provide details:	NO
9.21	Any Australian Maritime Safety Authority (AMSA) detentions or noted deficiencies. If so, please advise details and specify when/where these items were repaired.	NO

10	SUPPLEMENTARY INFORMATION FOR SPECIFIC COMMODITIES/TRADES
10.1	

2008 (BalticExchange.com / Baltic99.com)