	GENERAL INFORMATION			00.5 / 04	
	Date updated: Vessel's name:			29-Feb-24 PAVIDA NAREE	
	IMO number:			9649885	
	Vessel's previous name(s) and date(s) of change:			NORDIC BUSAN	
1.5	Flag:		THAILAND		
	Port of Registry:		BANGKOK		
	Type of vessel:			Log / Bulk Carrier	
	Type of hull:		Single Hull		
Ownership	and Operation				
1.9	Registered owner - Full style:		PRECIOUS JASMINES LIMITED 8/27-28, 7TH FLOOR CATHAY HOUSE, NORTH SATHORN ROAD, SILOM, BANGRAK, BANGKOK, THAILAND		
1.1	Parent company/group to which the owner belongs	- Full style:	PRECIOUS SHIPPING PCL 8/27-28, 7TH FLOOR CATHAY HOUSE, NORTH SATHORN ROAD, SILOM, BANGRAK, BANGKOK, THAILAND TEL: +662-696-8800. FAX: +662 2367654. EMAIL: psl@preciousshipping.com		
1.11	Technical operator - Full style:		GREAT CIRCLE SHIPPING AGENTCY LTD. / 10TH FLOOR CATHAY HOUSE, 8/35 NORTH SATHORN ROAD, BANGKOK 10500, THAILAND / TEL: +662 6968900-99 FAX: +662 2377842 / EMAIL: gcship@preciousshipping.com		
1.12	Commercial operator - Full style:		PRECIOUS SHIPPING PCL 8/27-28, 7TH FLOOR CATHAY HOUSE, NORTH SATHORN ROAD, SILOM, BANGRAK, BANGKOK, THAILAND TEL: +662-696-8800. FAX: +662 2367654 EMAIL: psl@preciousshipping.com		
1.13	Disponent owner - Full style:		Navision Shipping A/S Strandvejen 102 E, 6th Floor 2900 Hellerup Denmark  Phone: +45 7027 7772 Email: operation@navisiongroup.com Telex: (51) 94075602 navi g (via uk) Web: www.navisiongroup.com		
1 14	Does disponent owner have vessel on time charter	or bareboat:	Time charter		
1.14	2000 disperiori cirilor have vesser on time charter	0. 54.0504			
1.15	Since when vessel has been under Disponent owner	er:	AT 0001LT ON 31st MAY 2023 (30thMAY2023/1601 GMT)		
1.16	Number of vessels in disponent owner's fleet:			N/A	
Builder					
	Builder (where built) / Yard number:		WEI-HAI, CHINA		
	Date delivered (built):			26.04.2018	
Classification	Classification society:		l	DET NORSKE VERITAS	
	Class notation:		DNV, 1A1 Bulk carrier BC( Holds(2,4)may be empty T	(A) BIS BWM-E(s) Clean CSR E0 ESP Grab[ 20 t ]	
1.21	If Classification society changed, name of previous	society:		N.A.	
1.22	If Classification society changed, date of change:			N.A.	
1.23	Date and place of last dry dock:		27-May-23	SHANHAIGUAN SHIPYARD, CHINA	
	Date next dry dock is due:				
	Date of last special survey / next survey due:		27-May-23	26-Apr-28	
	Date of last annual survey / next survey due:		27-May-23	27-May-24	
	Is vessel entered in classification approved enhance Does vessel comply with IACS unified requirements	7. 0		YES	
1.28	double bottom tank steel structure?	bottom tank steel structure?			
- ·	Has this compliance been verified by the classificati	on society?		YES	
Dimensions	Length Over All (LOA):			180.0 Meters	
	Length Between Perpendiculars (LBP):			172.0 Meters	
	Extreme breadth (Beam):		30.0 Meters		
	Moulded depth:		14.7 Meters		
1.33	Keel to Masthead (KTM) / KTM in collapsed condition  Distance from waterline to top of hatch coamings	on (it applicable):	45.6 Meters		
1.34		No1. Hatch	Midships	Last Hatch	
	Ballast condition: (ballast holds not flooded, basis 50% bunkers)	16.2 meters	14.9 meters	13.7 meters	
	Full ballast condition:	10.7 meters	10.3 maters	10.0 maters	

(balla	last holds flooded, basis 50% bunkers)	IV.7 IIIGIGIS	10.3 1116(613	IV.V IIIGIGIS
Fully	y laden condition:	7.2 meters	7.2 meters	7.2 meters
	ance from keel to top of hatch coamings (or of hatch covers if side-rolling hatches):	16.6 meters	16.6 meters	16.6 meters
nnages				
1.36 Gros	ss Tonnage (GT) / Net Registered Tonnage (NR	RT):	22860	12082
1.37 Suez	z Canal Tonnage – Gross (SCGT) / Net (SCNT)	):	23656	20721
1.38 Pana	ama Canal Net Tonnage (PCNT):			19047
adline Informa	ation			
1.39 Load	dline	Deadweight	Draft	TPC
Sum	nmer:	35339.786	10.216 Meters	s 49.3 T/CM
Wint	ter:	34291.341	10.003 Meters	s 49.2 T/CM
Wint	ter North Atlantic:		N.A.	
Fres	sh water:	35340.336	10.442 Meters	s 49.4 T/CM
Trop	pical:	36392.614	10.429 Meters	s 49.4 T/CM
Trop	pical fresh water:	36365.443	10.655 Meters	s 49.5 T/CM
Full	Ballast condition:	00400.70		
(balla	last holds not flooded, basis 50% bunkers) (ab	23163.79 out)		
Light	ntship:			9319.21 MT
FW <i>P</i>	A at summer draft:			226mm
TPC	C on summer draft			49.3 T/CM
vessel fitted fo	for:			
1.4 Tran	nsit of Panama Canal?		YES	
	es, state deadweight all told on 39ft 6in / 12.039r	n (SG 0.9954):	35891.846 MT	
	es, is Panama deadweight all told affected by ve	,	NO	
	nsit of Suez Canal?		YES	
	nsit of St. Lawrence Seaway?			NO
	es, state deadweight all told on 26ft / 7.92m fresh	n water		N.A.
cent Operatio		i water.		110.0
			Pollution: NO	
Has	s vessel been involved in a pollution, grounding,	serious casualty or collision incident	Grounding:	NO
1.43 durin	ng the past 12 months? If yes, give details:		Casualty:	NO
			Collision: NO	
1.44 Voya	rage History			
Voy#	# Charterer	Cargo	Load-Discharge Ports	
Last	t: CANFORNAV LIMITED	METCOKE IN BULK		BARRANQUILLA to SALVADAOR
2 <sup>nd</sup> :	NAVISION SHIPPING A/S	YELLOW CORN , YELLOW SOYA BEANS ,GOLDEN DRIED GRAIN SOLLUBLES	NEW ORLEANS to SANTA MARTA AND BARRANQUII	
3 <sup>rd</sup> :	ULTRABULK A/S	CEMENT IN BAGS		CEYHAN to GEORGETOWN
4 <sup>th</sup> :	BONJA SHIPPING CO.,LTD	CHROME ORE IN BULK		DURBAN to MERSIN
5 <sup>th</sup> :	AQUAVITA INTERNATIONAL S.A.	AMMONIUM SULPHATE IN BULK	QINHUANGDAO / XIUYU to DURBAN	
1.45 Spec	cify the security level at which the ship is curren	tly operating (ISSC):		SECURITY LEVEL 1
			T	
2ICER	RTIFICATION	Issued	Last Annual	Expires

2	CERTIFICATION	Issued	Last Annual	Expires
2.1	Safety Equipment Certificate:	23-Feb-24		21-Apr-24
2.2	Safety Radio Certificate:	23-Feb-24		26-Apr-28
2.3	Safety Construction Certificate:	27-May-23		26-Apr-28
2.4	Loadline Certificate:	27-May-23		26-Apr-28
2.5	Safety Management Certificate (SMC):	28-Dec-22		27-Dec-27
2.6	Document of Compliance (DOC): 20TB-M0076THADOC	4-Nov-20	10/Oct/23	19-Nov-25
2.7	Cargo Gear survey:	27-May-23		27-May-28
2.8	Cargo securing manual:	available		
2.9	International Oil Pollution Prevention Certificate (IOPPC):	27-May-23		26-Apr-28
	Ship Sanitation Control (SSCC) / Ship Sanitation Control Exemption (SSCE) Certificate	20-Jan-24		20-Jul-24
	USCG COFR:	18-Jun-22		18-Jun-25
2.12	International Ship Security Certificate (ISSC):	28-Dec-22		27-Dec-27

3	CREW MANAGEMENT				
3.1	Number of Officers: (including Master)	13			
3.2	Number of crew:	10			
3.3	Name and nationality of Master:	CAPT. APISIT PUNKONGWATHHANA / THAI			
3.4	Nationality of Officers:	THAI			

3.5 Nationality of crew:	THAI
3.6 What is the common working language onboard:	ENGLISH
3.7 Do officers speak and understand English?	YES

4	4 SAFETY MANAGEMENT				
4.1	Is the vessel ISM certified?	YES			
4.2	Document of Compliance (DOC) certificate number / issuing authority:	20TB-M0076THADOC	NKK		
4.3	Safety Management (SMC) certificate number / issuing authority:	22LB-M0014SMC	NKK		
	State outstanding recommendations, if any:	NO			
4.4	Is the vessel operated under a Quality Management System?	YES			
	If Yes, what type of system (ISO9002 or IMO Resolution A.741(18)):	ISO 9001 & 14001			

5	CARGO ARRANGEMENTS					
Holds	olds					
5.1	Number of holds:			5		
	Hold dimensions: L x B x H	NO.1, 26.4M.X (FWD 5.0 M, AFT 22.47M) X 13.5M NO.2, 24.0M X 23.44M X 13.5M NO.3, 24.0M X 23.44M X 13.5M NO.4, 24.0M X 23.44M X 13.5M NO.5, 26.4M.X (FWD 23.44M, AFT 8.30M) X 13.5M				
F 2	Are vessel's holds clear and free of any obstructions?	YES				
	Capacity, by hold, excluding wing/topside tanks but including hatchways (		l			
5.4	Cbm):	Grain ( Cbm) Bale ( Cbm)		Bale ( Cbm)		
	Hold #1:	8382.	.808	7695.9		
	Hold #2:	9919.	.222	9541.3		
	Hold #3:	9932.	.567	9543.8		
	Hold #4:	9932	2.57	9522.5		
	Hold #5:	9417.	.935	9153.8		
	Total:	47585	5.102	45457.3		
	Capacity on Hatch & Deck ( Cbm)					
	Hatch & Deck #1 :			2467.0		
	Hatch & Deck #2:			3298.8		
	Hatch & Deck #3:			3220.5		
	Hatch & Deck #4:			2569.6		
	Hatch & Deck #4:			2707.4		
	Total:			14263.3		
				YES		
	Is vessel strengthened for the carriage of heavy cargoes?					
	If yes, state which holds may be left empty:	284				
	Is tanktop steel suitable for grab discharge?			YES		
5.8	State whether bulkhead corrugations are vertical or horizontal:			VERTICAL		
5.9	Tanktop strength:	22.0 MT/SQM				
	Are holds CO2 fitted?	YES				
5.11	Are holds fitted with smoke detection system?	YES				
5.12	Is vessel fitted with Australian type approved holds ladders?	YES				
5.13	Has vessel a functioning class certified loadmaster/loadicator or similar calculator?	YES				
5.14	Are holds hoppered at:					
0	Forward bulkhead?		YES			
	Aft bulkhead?			YES		
5.15	Can vessel's holds be described as box shaped?			NO		
0.10	Measurement of any tank slopes/hoppering:					
5.16	(height and distance from vessel's side at tank top)	SIDES - CH1: 3.6	6/6.4X3.3M CH2,3,	4: 3.2X3.3M, CH5: 3.2/6.8X3.3M AFT - 3.2X1.6M		
	Flat floor measurement of cargo holds at tank top: L x W		NO.2, 24.0M.X NO.3, 24.0M X NO.4, 24.0M X	X (FWD 5.0 M, AFT 22.47M) ( (FWD 23.44M, AFT 23.44M) ( (FWD 23.44M, AFT 23.44M) ( (FWD: 23.44M, AFT 23.44M) X (FWD 23.44M, AFT 8.30M)		
5.18	Are vessel's holds electrically ventilated?			YES		
	If yes, state number of air-changes per hour basis empty holds:			6		
5.19	Type of hold paint:					
5.2	Is vessel fitted for carriage of grain in accordance with chapter V1 of SOLAS 1974 and amendments without requiring bagging, strapping and securing when loading a full cargo (deadweight) of heavy grain in bulk (stowage factor 42 cu. Feet) with ends untrimmed?	YES		YES		
5.21	Is the vessel fitted with A60 Steel Bulkhead?			YES		
Deck and H	atches					
5.22	Number of hatches:			5		
5.23	Make and type of hatch covers:		TTS / DOUE	BLE SKIN, FOLDING TYPE - HYDRAULIC		
5.24	Hatch dimensions: (Length X Breadth)	NO. 1 -	NO. 1 - 16.80 X 15.00 M NOS. 2, 3, 4 & 5 - 19.20 X 19.20 M			
5.25	Hatch span (distance from front of forward hatch#1 to aft of rear hatch#5):		122.54 M			
5.26	Strength of hatch covers:			NO.1,2,3,4 & 5- 3.5 MT/SQM		

5.27	Number, diameter and location of cement holes	TOTAL 20 NOS. / DIA: 700 MM / NO.1,2,3,485 (2 POSITIONS FWD PART OF HATCH & 2 POSITIONS AFT PART OF HATCH)		
5.28	Distance from ship's rail to near and far edge of hatch covers/coaming near and far (Please advise the minimum width clear of any obstruction for each hold):	CH1: 4.6/20.8 CH2,3,4,5: 4.6 / 25.4		
5.29	Distance from bow to fore of 1 <sup>st</sup> hold opening:	19.1 M		
5.3	Distance from stern to aft of last hold opening:	38.3 M		
5.31	State deck strength:	3.5 MT/SQM		
Ballast				
5.32	Capacity of ballast tanks (100%):	11438.22 CBM / 21370.79 CBM (INC CH.#3)		
5.33	Ballast holds capacity, state which hold(s):	CH3 - 9932.569		
	Vessel's ballasting time / rate of ballasting / Vessel's deballasting time / rate of	Ballast 8.5HRS/1400cub.M/Hrs Deballast 8.5 Hrs/ 1400		
5.35	deballasting	cub.M /hrs.		
5.36	Unpumpable quantity:	150 cubM		

6	CARGO GEAR (ONLY TO BE COMPLETED IF AF	PPLICABLE)			
6.1	If geared state make and type:		JIANGSU MASADA-N	JIANGSU MASADA-MITSUBISHI HYDRAULIC DECK CRANE 36 tx26 m®	
6.2	2 Number/location of derricks-/ cranes:		4 nos. / cross deck no.1-4		
6.3	Maximum outreach of gear beyond ships rail			11.0 meters.	
6.4	Maximum outreach of gear beyond ships rail with ma	aximum cargo lift on hook:		11.0 meters.	
6.5	If gantry cranes/horizontal slewing cranes - state mi to top of hatch coaming:	nimum clearance distance crane hook		N.A.	
6.6	Time needed for full cycle with maximum cargo lift o	n hook:		120 second	
6.7	Hoisting time of gear: (Load / Metres Minutes)	Hook Grab		16.0 meters per minutes	
6.8	Luffing time of gear:			54.0 second.	
6.9	Slewing time of gear:			0.6 rpm	
6.1	Is gear combinable for heavy lift?			NO	
6.11	Are winches electro-hydraulic?			NO	
6.12	If vessel has grabs on board - state:		N/A		
	Туре:		N/A		
	Weight:		N/A		
		Lifting Capacity:	N/A		
		Power source of grabs:	N/A	N/A	
		Location of power source:	N/A		
6.13	Does vessel have enough power to run 4 cranes an pls state how many?	d 4 shore grabs (if applicable). If not	YES		
6.14	Is vessel fitted with sufficient lights at each hatch for	r night work?	YES		
6.15	Is vessel logs fitted?			YES	
	If yes, state number, type and height of stanchions/s	sockets, if on board:	Yes , number of fixed stanchoin = 12 nos / collapsible stanchoins = 76 nos Fixed stanchions height from deck level to above stanchoins : 6.835 meters		
6.16	Is vessel log racks fitted?			YES	
6.17	Timber Loadline (if applicable)	Deadweight	Draft	TPC	
	Summer:	35339.786	10.216 M	49.3 T/CM	
	Winter:	34291.341	10.003 M	49.2 T/CM	
	Winter North Atlantic:		N.A.		
	Fresh water:	35340.336	10.442 M	49.4 T/CM	
	Tropical:	36392.614	10.429 M	49.4 T/CM	
	Tropical fresh water:	36365.443	10.655 M	49.5 T/CM	

7			
7.1	Capacity in direct stow of TEU/FEU basis empty tanks:		
	Capacity in direct stow of TEU/FEU basis full tanks:		
7.2	Are all containers within reach of vessel's gear?		
7.3	If no, state self sustained capacity:		
7.4	If vessel fitted with all permanent and loose fittings/lashing materials for above number of TEU/FEU?		
7.5	Is vessel fitted with recessed holes/shees on tanktop and container shees on- weatherdeck and hatch covers?		
7.6	Advise stack weights and number of tiers on/under deck per TEU:		
	Advise-stack-weights-and number of tiers-on/under deck-per-FEU:		
7.7	Has vessel a container spreader on board?		
7.8	Number and type of reefer plugs:		

8 1	8 ENGINE ROOM, SPEED AND CONSUMPTION					
8.1 l	.1 Is vessel fitted with a shaft generator?		NO			
Engine Roor	Engine Room					
8.2	8.2 Engine make/model and type:		S	TX-MAN B&W 5S50ME B 9.3		
	BHP / RPM of main engine at MCR:	100%	6010.0 BHP	99.0 RPM		
8.4	BHP / RPM of main engine at NCR (as % of MCR):	85%	4928.0 BHP	92.7 RPM		
8.5	8.5 GENERATORS :					
Fuel	Fuel					
8.5	8.5 VLSFO and LSMGO / 38			VLSFO and LSMGO / 380 cSt		
	Canacity (100%) of main engine bunker tanks (LSIE	O + HSIFO: evaluding unnumnables):	LSIFO	HSIFO		

	Dapadity (10070) of main engine bullion taking (EOH $\odot$ $\pm$ 110H $\odot$ , excluding unpumpables).	1326.468 CBM	0	
8.6	What type/viscosity of fuel is used in the generating plant:			
	Capacity (100%) of aux engine(s) bunker tanks (LSMGO + HSMGO; excluding	LSMGO	HSMGO	
	npumpables):	375.970 CBM	0	
Speed				
8.7	Ballast: ABT	A	AS PER VESSEL DESCRIPTION	
	Laden: ABT	Α	AS PER VESSEL DESCRIPTION	
Consumption	ons			
8.8	Passage	Main	Aux	
	Ballast: ABT	T		
	Laden: ABT			
8.9	In Port	۸۵	S PER VESSEL DESCRIPTION	
	Working:	Ac	FER VESSEL DESCRIPTION	
	Idle:			
	Other (specify):			
	MICOELLANEOUS			

9	MISCELLANEOUS	
Communica	ations and Electronics	
9.1	Call sign:	HSB8254
9.2	Vessel's INMARSAT – C number:	456701083 & 456701084
9.3	Vessel's telephone number:	+662 460 6077 / +88 1677 110 685
9.4	Vessel's fax number:	N/A
9.5	Vessel's email address:	pavidanaree@speedmailplus.com
9.6	Vessel's MMSI No. (Maritime Mobile Selective call Identity Code):	567 608 000
9.7	Vessel's onboard electrical supply (V / Hz):	440V / 220V / 60Hz
z		
9.8	Constants excluding fresh water:	550 MT ( for ballast water treatment operation at Fresh water port)
9.9	Daily freshwater consumption:	6.0 MT
9.1	Fresh water capacity:	363.0 CUB.M
9.11	State daily production of evaporator:	15 MT PER DAY
9.12	Normal fresh water reserve:	200.0 MT
Insurance		
9.13	P & I Club - Full style:	SKULD
9.14	P & I Club coverage (US \$):	USD3 BILLION
9.15	Where is the owners hull and machinery placed:	THE SWEDISH CLUB
9.16	Hull & Machinery insured value (US \$):	USD 20,640,000
Vetting		
9.17	Is the vessel RIGHTSHIP approved:	N/A
9.18	Date/Place of last RIGHTSHIP Inspection:	N/A
Port State 0	Control	
9.19	Date and place of last Port State Control inspection:	18JAN2024 / SANTA MARTA ,COLOMBIA
9.2	Has the vessel been detained by Port State Control in the last 12 months?	NO
	Any outstanding deficiencies as reported by any Port State Control. If yes, provide details:	NO
9.21	Any Australian Maritime Safety Authority (AMSA) detentions or noted deficiencies. If so, please advise details and specify when/where these items were repaired.	NO

10	SUPPLEMENTARY INFORMATION FOR SPECIFIC COMMODITIES/TRADES
10.1	